



# GUIDELINES ON **INTEGRATED PUBLIC HEALTH LABORATORIES**

2022





GUIDELINES ON  
**INTEGRATED**  
**PUBLIC HEALTH**  
**LABORATORIES**  
2022





राजेश भूषण, आईएएस  
सचिव

**RAJESH BHUSHAN, IAS**  
SECRETARY



भारत सरकार  
स्वास्थ्य एवं परिवार कल्याण विभाग  
स्वास्थ्य एवं परिवार कल्याण मंत्रालय  
Government of India  
Department of Health and Family Welfare  
Ministry of Health and Family Welfare



### Preface

India is undergoing an epidemiological transition shift with the emerging burden of infectious diseases. The COVID -19 pandemic has reflected the increased need for effective surveillance, detection, prevention, and control of diseases. This includes systematic collection, analysis, and interpretation of relevant health data for planning, implementation, and evaluation of public health functions.

Under NHM, several good initiatives have been taken to improve public health surveillance through IDSP, by the national and state teams with support and guidance from NCDC. During the recent surges of Covid-19 cases, it was observed that there is a need for better integration and convergence for strengthening public health surveillance for timely management.

Keeping such findings in view, the Government of India launched PM Ayushman Bharat Health Infrastructure Mission under which the establishment of Integrated Public Health Labs across all the districts of the country is envisaged. These Integrated Public Health Laboratories (IPHLs) will be a platform to establish close integration and coordination between health and other concerned departments for ensuring early response to outbreaks for better clinical outcomes.

The District IPHLs will be the epicentre for assured diagnostic services with defined upward and downward linkages. They will play a critical role in reducing the high out of pocket expenditure incurred on diagnostics. They will also contribute to the integration of multiple labs existing in a district under various programs leading to optimal utilisation of resources from the system's perspective simultaneously improving the accessibility of the diagnostic services to the patients.

I would like to convey my thanks to DGHS, NCDC, NHSRC, ICMR, CPCB, FSSAI, State and academic institutional representatives and all other experts for their best inputs in framing this guideline. I sincerely believe that all the States will expeditiously implement the initiative to make diagnostic services affordable and accessible to all.

Place : New Delhi  
Date : 16<sup>th</sup> March 2022

**(Rajesh Bhushan)**





**विकास शील, भा.प्र.से.**  
**Vikas Sheel, I.A.S.**

अपर सचिव एवं मिशन निदेशक (रा.स्वा.मि.)  
Additional Secretary & Mission Director (NHM)



भारत सरकार  
स्वास्थ्य एवं परिवार कल्याण मंत्रालय  
निर्माण भवन, नई दिल्ली - 110011

Government of India  
Ministry of Health & Family Welfare  
Nirman Bhavan, New Delhi - 110011



### **FOREWORD**

Since the launch of the National Rural Health Mission in 2005, the Ministry of Health & Family Welfare, Government of India has endeavoured to provide accessible, affordable and quality health care services to the people of India. To facilitate the process and ensure reduction in high out of pocket expenditure, GoI launched Free Diagnostics Service Initiative in addition to the testing facility available under various programs.

To augment and strengthen the competency for quick testing, case detection, surveillance, and outbreak management, setting up Integrated Public Health Laboratories as one of the interventions under Pradhan Mantri Ayushman Bharat Health Infrastructure Mission has been envisioned. This will lead to comprehensive diagnostic services, encompassing both public health functions and clinical decision making under the umbrella of IPHL. It is also expected and desired to converge all the programme diagnostic under one roof. This type of integration is critical for improving laboratory efficiency and reducing duplication of resources, particularly Human Resources as well as equipping laboratories for improved readiness and responsiveness to emerging disease risks.

The constant guidance of Secretary H&FW helped in developing these guidelines after thorough deliberations with the experts. I would like to thank DGHS, NCDC, ICMR, FSSAI, CDC, CPCB, Program Divisions of MoHFW, NACO, the team at the National Health Systems Resource Centre, state government officials, & experts whose inputs and contributions helped in the timely launch of these valuable guidelines as a part of Pradhan Mantri Ayushman Bharat Health Infrastructure Mission.

I urge upon that States/UTs to prioritise establishing the IPHLs at the District level, with the goal of improving the overall health systems to respond to any future public health emergencies and reducing overall out of pocket expenditure.

  
(Vikas Sheel)

**स्वच्छ भारत - स्वस्थ भारत**

Tele : 011-2306 3693, Telefax : 011-2306 3687, E-mail : sheelv@ias.nic.in





विशाल चौहान, भा.प्र.से.  
संयुक्त सचिव

**VISHAL CHAUHAN, IAS**

Joint Secretary

Tele: 011-23063585 / 23061740

e-mail: js.policy-mohfw@gov.in



भारत सरकार  
स्वास्थ्य एवं परिवार कल्याण मंत्रालय  
निर्माण भवन, नई दिल्ली - 110011

GOVERNMENT OF INDIA  
MINISTRY OF HEALTH & FAMILY WELFARE  
NIRMAN BHAVAN, NEW DELHI - 110011



**FOREWORD**

Government of India (GOI) has taken several initiatives to strengthen healthcare systems during the surge of COVID – 19. for timely detection & management of the pandemic. As a step forward it was further desired to augment the health care infrastructure by adding Oxygen, ventilator and oxygen supported critical care beds, necessary equipment and diagnostics with a prospective vision to meet any future epidemic and pandemic.

The Pradhan Mantri - Ayushman Bharat Health Infrastructure Mission is one of such initiatives which will help the States & UTs in further strengthening of the healthcare infrastructure. Establishing District Integrated Public Health Labs and Block Public Health Units are some of the major milestones in this regard.

Under the ambit of Integrated Public Health Laboratories (IPHL) at District Hospital, it is envisaged to provide comprehensive services through an integrated model for delivering clinical and public health functions. The IPHL will also be instrumental in establishing inter-sectoral coordination with various departments like animal husbandry, water, food, etc. to strengthen public health surveillance and reduce the burden of diseases in the community.

I would like to express my sincere gratitude to the Secretary (H&FW) and AS&MD (NHM) for their support and guidance in preparing these guidelines. I also deeply appreciate the contribution of NHM division at Ministry, NHSRC and other experts & organisations including DGHS, ICMR, US-CDC, academic institutes like AIIMS, MGIMS etc in developing the guideline.

I request all the Principal Secretaries-Health and Mission Directors-NHM in the State/UTs to initiate actions to establish IPHLs at District Hospitals. I hope technical officers at state and district will utilise the guideline in planning, organizing and setting up such laboratories.

  
(Vishal Chauhan)





# Contents

<b>Abbreviations</b>	<b>xi</b>
<b>Chapter 1: Introduction</b>	<b>1</b>
1.1 Background	2
1.2 Purpose of this Document	2
1.3 Vision Statement	3
1.4 Objectives of the Guidelines	3
1.5 Key functions of IPHL	3
<b>Chapter 2: Laboratory Network and Linkages</b>	<b>4</b>
2.1 Assured Downward Linkages (Hub and Spoke Model)	4
2.2 Defined Upward Linkages	5
2.3 Integration and Coordination at Various Level	5
<b>Chapter 3: Services</b>	<b>6</b>
3.1 Equipment	8
3.2 Environment Sampling	8
3.3 Flow of Services in Laboratory	8
3.4 Laboratory Timings	9
<b>Chapter 4: Sample Collection and Transport</b>	<b>10</b>
4.1 Sample Collection	10
4.2 Specimen Packaging	11
4.3 Sample Transportation	11
<b>Chapter 5: Infrastructure</b>	<b>13</b>
5.1 Structural Components and Design of IPHL	13
5.2 Details of the Components	13
5.3 Principles of Laboratory Design	14
5.4 Sample Layout of IPHL	16

<b>Chapter 6: Human Resource</b>	<b>17</b>
<b>Chapter 7: Quality Assurance (QA)</b>	<b>19</b>
7.1 Scope of Services	19
7.2 Documentation Requirements	19
7.3 Testing by Referral Laboratories	20
7.4 External Services and Supplies	21
7.5 Resolution of Complaints	21
7.6 Identification of Errors & Corrective/Preventive Action	21
7.7 Maintenance of Documents	21
7.8 Control and Archival of Records	22
7.9 Quality Indicators	22
7.10 Human Resource and Training	23
7.11 Laboratory Equipment, Reagents, and Consumables	24
7.12 Reagents and Consumables	24
7.13 Pre-analysis Process	25
7.14 Analysis Processes and Quality Control (QC)	25
7.15 Post-analysis Processes	26
7.16 Monitoring and Supervision	26
<b>Chapter 8: Laboratory Information Management System (LIMS)</b>	<b>28</b>
<b>Chapter 9: Implementation Mechanism for IPHL</b>	<b>29</b>
<b>Annexures</b>	<b>31</b>
Annexure-I: Services	35
Annexure-II: List of Equipment	37
Annexure-III: List of Equipment Available under Various Programs	38
Annexure-IV: Sample Layout of IPHL	40
Annexure- V: List of Monitoring Indicators	41
Annexure-VI: Biomedical Waste Management at Integrated District Public Health Laboratory	40
Annexure-VII: Cleaning Protocol of the Equipment/Items Available in the IPHL	42
Annexure-VIII: IPHL Pre-Implementation Assessment Checklist	44
<b>List of Contributors</b>	<b>51</b>



# Abbreviations

ADA	Adenosine Deaminase
AFB	Acid Fast Bacilli
AHU	Air Handling Unit
AIIMS	All India Institute of Medical Sciences
ALT	Alanine Transaminase
AST	Aspartate Aminotransferase
BEE	Bureau of Energy Efficiency
BMW	Biomedical Waste
BSC	Bio-Safety Cabinet
BSL-2	Biosafety Level 2
CB-NAAT	Cartridge-based Nuclein Acid Amplification Test
CD4	Cluster of Differentiation 4
CDC	Centres for Disease Control and Prevention
CHC	Community Health Centre
CLIA	Chemiluminescence Immunoassay
COVID-19	Coronavirus Disease-19
CPA	Corrective and Preventive Action
CPCB	Central Pollution Control Board
CP-CPHC	Community Processes- Comprehensive Primary Healthcare
CRP	C-Reactive Protein
CSF	Cerebrospinal Fluid
CSSD	Central Sterile Supply Department
DADG	Deputy Assistant Director General
DCIP	Dichlorophenolindophenol Precipitation
DEO	Data Entry Operator
DGHS	Directorate of Health Services

DH	District Hospital
DPHL	District Public Health Laboratories
EDTA	Ethylene Diamine Tetra Acetic Acid
ELISA	Enzyme-linked Immunosorbent Assay
EQAS	External Quality Assessment Scheme
ESR	Erythrocyte Sedimentation Rate
ETP	Effluent Treatment Plant
FDP	Fibrinogen Degradation Products
FNAC	Fine Needle Aspiration Cytology
FPM	Feet Per Minute
FRU	First Referral Unit
FSSAI	Food Safety and Standards Authority of India
G6PD	Glucose 6 Phosphate Dehydrogenase
GGT	Gamma Glutamyl Transferase
GoI	Government of India
GRS	Grievance Redressal System
GTT	Glucose Tolerance Test
H <sub>2</sub> S	Hydrogen Sulphide
HbA <sub>1</sub> C	Glycosylated Haemoglobin
HCF	Healthcare Financing
HCG	Human Chorionic Gonadotropin
HCT	Healthcare Technology
HDL	High Density Lipoprotein
HEPA	High Efficiency Particulate Air
HIS	Hospital Information System
HIV	Human Immunodeficiency Virus
HMIS	Health Management Information System
HOD	Head of Department
HPLC	High Performance Liquid Chromatography
HR	Human Resource
HRH/HPIP	Human Resources for Health/Health Policy & Integrated Planning
HVAC	Heating Ventilation and Air Conditioning
HWC	Health and Wellness Center
ICAR	Indian Council of Agricultural Research
ICMR	Indian Council of Medical Research
ICU	Intensive Care Unit
ID/AST	Identification/Antibiotic Susceptibility Testing
IDSP	Integrated Disease Surveillance Programme
IHIP	Integrated Health Information Platform

INR	International Normalised Ratio
IPD	Inpatient Department
IPHL	Integrated Public Health Laboratories
IPHS	Indian Public Health Standards
IQC	Internal Quality Control
ISE	Ion Selective Electrode
IV	Intravenous
LDH	Lactate Dehydrogenase
LDL	Low Density Lipoprotein
LIMS	Laboratory Information Management System
LJ Chart	Levey Jennings Chart
LQMS	Laboratory Quality Management System
LT	Laboratory Technician
MCH	Maternal & Child Health
MD NHM	Mission Director, National Health Mission
MGIMS	Mahatma Gandhi Institute of Medical Sciences
MoHFW	Ministry of Health & Family Welfare
NABL	National Accreditation Board for Testing & Calibration Laboratories
NACO	National AIDS Control Organization
NACP	National AIDS Control Programme
NCDC	National Centre for Disease Control
NHM	National Health Mission
NHP	National Health Policy
NHSRC	National Health Systems Resource Centre
NIV	National Institute of Virology
NPCDCS	National Programme for Prevention & Control of Cancer, Diabetes, Cardiovascular Diseases & Stroke
NQAS	National Quality Assurance Standards
NSF	National Sanitation Foundation
NTEP	National Tuberculosis Elimination Programme
NVBDCP	National Vector Borne Disease Control Programme
NVHCP	National Viral Hepatitis Control Programme
OOPE	Out of Pocket Expenses
OPD	Outpatient Department
OT	Operation Theatre
PA Test	Presence Absence Test
PAP	Papanicolaou
PAPR	Powered Air-Purifying Respirators
PCR	Polymerase Chain Reaction

PGIMER	Post-Graduate Institute of Medical Education & Research
PHA	Public Health Administration
PHC	Primary Health Centre
PHED	Public Health Engineering Department
PHL	Public Health Laboratory
POCT	Point of Care Tests
PPE	Personal Protective Equipment
PSA	Prostate Specific Antigen
PT	Prothrombin Time
QA	Quality Assurance
QC	Quality Control
QI	Quality Improvement
QMS	Quality Management System
QMS	Quality Management System
RDT	Rapid Diagnostic Tests
RML	Ram Manohar Lohia
RPM	Rotations Per Minute
RRT	Rapid Response Team
SC	Subcentre
SGOT	Serum Glutamic Oxaloacetic Transaminase
SGPT	Serum Glutamic Pyruvic Transaminase
SOP	Standard Operating Procedures
SPM	State Programme Manager
T3	Triiodothyronine
T4	Thyroxine
TAG	Technical Advisory Group
TB	Tuberculosis
TOR	Terms of Reference
TRF	Test Requisition Form
TSH	Thyroid Stimulating Hormone
TWG	Technical Working Group
UPHC	Urban Primary Health Centre
UPS	Uninterrupted Power Source
VDRL	Venereal Disease Research Laboratory
VLDL	Very Low-Density Lipoprotein



## CHAPTER

# 1

# Introduction

India is increasingly facing a high burden of emerging infectious diseases along with substantially enhanced prevalence of non-communicable diseases. Mortality and disability caused by communicable diseases and other emerging infections (e.g. COVID-19) is significantly impacting human life and economic growth of the country. The country needs to devise effective healthcare solutions that not only boost control of existing diseases like HIV, TB, and Malaria, but also prepared to effectively detect, prevent, control, and manage emerging infectious diseases and threats to human health. This calls for identifying cost-effective and efficient healthcare diagnosis and delivery mechanisms.

One of the critical interventions is to establish cost-effective laboratory systems that provide rapid, reliable, and accurate test results for optimal impact on patient care and overall health outcomes. This includes establishing a network of integrated public health laboratories at various levels of health care for providing diagnostics for disease-specific programmes and for integrating healthcare surveillance supported by quality assured laboratory data. The epicentre of such laboratories will be the district with defined upwards and downwards linkages. This guideline focuses on establishing Integrated Public Health Laboratories at District Hospitals. The term '**Integrated Public Health Laboratory (IPHL)**' extends to a laboratory providing comprehensive services including infectious diseases diagnostics along with testing of hematology, chemical biochemistry, microbiology, virology and pathology parameters with bio-safety level-2, all combined under one umbrella. Development of IPHL will involve physical, functional and data integration of different sections of the district hospital laboratories. The physical integration will include establishment of a central sample collection facility in a patient-friendly location. The functional integration will require various vertical program sections to operate as the coordinated limbs of a single body i.e. the district public health laboratory, in the process sharing space, manpower and equipment and thus, avoiding duplication and disconnect. The data integration will be through an integrated Laboratory Information Management System (LIMS) to monitor the data flow under various programs, facilities, departments to feed in to the IHIP platform for coordinated public health action.

An integrated model for the laboratory is crucial to increase efficiency, avoid duplication of laboratory resources, improve patient services, channelize resources for development of capacity for multi-disease testing and to equip the laboratory in terms of better preparedness and response to emerging disease threats. Further, an effective IPHL is capable of collecting and testing clinical specimens of human origin as well as samples of water, food and air during outbreaks and reporting that information in real time as part of public health surveillance systems. IPHL will also provide diagnostic facilities for various communicable and non-communicable diseases including tests envisaged under various national programmes for TB, HIV, malaria, viral hepatitis etc., that require biosafety level 2 laboratories.

## 1.1 Background

While the vertical disease programs have been successful in guiding the policy and field level operations to control many communicable diseases in the past, this disease-specific fragmentation of laboratory systems has led to duplications of equipment and training programs and inefficient use of human resources under the public health systems. Additionally, this disease-specific approach has not been either patient-centric or patient-friendly. It leads to multiple samples drawn from each patient and obscures correlation of results. To quickly improve efficiency and effectiveness of the laboratory services to support programmatic scale-up, it is imperative to establish integrated national laboratory systems. This will optimise access to laboratory services, quality assurance efforts, cost-effectiveness and efficient use of human resources.

Integration of services, human resource (HR), equipment, diagnostics and infrastructure are also a commitment under IPHS. Such integration is already envisioned in the framework of NHM, and this guideline is a tool to implement it. However, program specific requirements for counselling, testing, reporting, along with the defined laboratory network will remain as per the existing national programs. Similarly, networking of well-equipped laboratories to enhance public health capacity to collect, analyse and respond to the disease outbreaks, is also a commitment under National Health Policy, 2017. So, in line with the standards, norms and policy of Ministry of Health and Family Welfare (MoHFW), to augment public health surveillance, the concept of district integrated public health lab was launched as part of Pradhan Mantri Ayushman Bharat Health Infrastructure Mission (PM-ABHIM).

The major steps in the direction of establishing an integrated laboratory services were initiated in 2016 when a National Laboratory Task Force was formed under the chairmanship of Special Directorate General of Health Services (DGHS). The task force assessed 190 public health laboratories in five states (Gujarat, Tamil Nadu, Jharkhand, Madhya Pradesh, and Chhattisgarh) through a joint initiative of National Centre for Disease Control (NCDC) and Centres for Disease Control and Prevention (CDC). The gap analysis revealed lack of integration among vertical programs, lack of efficient specimen transport/referral mechanisms, lack of a well-defined system for maintenance of equipment and procurement of quality supplies and lack of structured training for laboratory staff.

In view of the initiatives taken above, a Technical Advisory Group (TAG) was created under the chairmanship of DGHS and Co-chairmanship of Additional Secretary and Mission Director (AS&MD), National Health Mission (NHM), MoHFW to review the status of laboratory strengthening under Integrated Disease Surveillance Programme (IDSP) and other vertical programs and develop recommendations to strengthen public health laboratories. Besides, a Technical Working Group (TWG) was created under the chairmanship of Director, National Centre for Disease Control (NCDC) to implement the recommendation of the TAG regarding strengthening of public health laboratories. TAG and TWG recommended integration of all vertical programs with routine diagnostic facility under one roof.

Further, the current pandemic of COVID-19 necessitated focus on strengthening laboratory-based surveillance system in an integrated manner. To improve the understanding on integrated capacity building and provide guidelines to bring uniformity of laboratory standards an Expert Group was formed to develop and facilitate "Technical and Operational guidelines on Integrated Public Health Laboratories (IPHL)" under the Chairpersonship of Director, NCDC.

## 1.2 Purpose of this Document

This document is a technical guideline for policy makers and technical officers at national, state and district levels in organizing and setting up District Integrated Public Health Laboratories with its upward and downward linkages across the country as a part of 'Operational Guidelines of Pradhan Mantri Ayushman Bharat Health Infrastructure Mission' launched by Hon'ble Prime Minister on 25<sup>th</sup> October 2021 to help in

integration of clinical and public health requirements under one roof. It provides guidance on laboratory infrastructure including space and laboratory design, workflow, equipment, reagents/consumables, manpower, quality assurance mechanism, laboratory information system, etc. It also helps in estimating the budget requirement for setting-up of such laboratories. However, the budget requirement will differ from district to district depending upon the gap analysis.

## 1.3 Vision Statement

“Reduction in mortality, morbidity and Out of Pocket Expenditure (OOPE) by effectively preventing and controlling the diseases through rapid and reliable screening, early detection and laboratory diagnosis of communicable, non-communicable and other emerging diseases”.

## 1.4 Objectives of the Guidelines

- ❖ To provide guidance on standardization, integration and strengthening of comprehensive diagnostic facilities at public health laboratories at district and sub-district level for aiding clinical management and public health surveillance.
- ❖ To guide and facilitate an integrated network of laboratory services at various levels including veterinary and public health laboratories for clinical decision making.
- ❖ Capacity development and support to block public health laboratory and other peripheral laboratories.

## 1.5 Key functions of IPHL

An IPHL has a role in surveillance and early detection of diseases by monitoring of laboratory parameters including haematology, Clinical Biochemistry, Clinical Pathology and some other tests (histopathology, etc) which are feasible at DH. The key roles of the laboratory are as follows:

- i. Provide laboratory support for communicable and non-communicable diseases by providing comprehensive laboratory services including Microbiology, Haematology, Clinical Biochemistry, Clinical Pathology, Cytology and Molecular Biology.
- ii. Carryout laboratory-based surveillance for infectious and non-infectious diseases and also to support in outbreak investigation.
- iii. Carryout water culture for coliforms and rapid diagnostic tests (RDTs) e.g. cholera RDT to support outbreak investigation as and when needed.
- iv. Act as a hub to provide technical support to Block Public Health Laboratories and other peripheral laboratories for sample collection, testing and referral as per Gol guidelines.
- v. It will also support the block and district surveillance units.
- vi. Conduct training for peripheral laboratory staff as well as provide supervision and monitoring for implementation of Quality Management System.
- vii. Function as a district laboratory for various public health programs including National AIDS Control Programme (NACP), NTEP, NVBDCP, NVHCP, IDSP etc. It will support convergence/integrating of these vertical programs at district level to optimally utilise the resources without altering the program strategies and functions.
- viii. Provide accurate and timely data for analysis, research, information, and policy decisions to detect, prevent and respond to public health threats in real time.

## CHAPTER 2

# Laboratory Network and Linkages


Integrated Public Health laboratories will establish multi-level linkages from blocks to districts, to state and finally to Zonal/regional and National level laboratories for providing a comprehensive set of laboratory services which can also aid in timely prediction of outbreak and supporting policy decisions. To allow IPHL seamlessly blend into the existing laboratory services network, these are conceived to be interconnected with functional linkages created both upwards and downwards.

The upward and downward linkages with block and zonal/state/regional labs would be clearly defined and documented. Besides this, the IPHL will function in coordination with departments like veterinary, food safety etc. at various levels (from peripheral to zonal/regional and apex levels) with ultimate aim to facilitate coordinated public health action.

## 2.1 Assured Downward Linkages (Hub and Spoke Model)

The IPHL at DH level will serve as the hub for block public health laboratories and shall be able to support testing of such samples which are not conducted at block level. Similarly, the Block Public Health Laboratories (BPHL) can serve as the hub for Health and Wellness Centers (HWCs) and other facilities down below (as shown in Figure 1).

**Figure 1: Downward Linkages of IPHL (Hub and Spoke Model)**



The laboratories will be linked for a seamless specimen support, transport, testing, reporting, clinical and public health decision making. The laboratory will also have linkages with the district veterinary unit for zoonotic diseases.

## 2.2 Defined Upward Linkages


To strengthen the infectious and non-infectious disease surveillance system at the national and sub-national levels, the IPHL will be linked to zonal, state, regional and apex laboratories, which will also act as referral laboratories for various national programs like IDSP, NACP, NTEP, NVBDCP, NVHCP etc. The diagram below is notional. The number of regional laboratories to be established above State laboratories shall be decided by NCDC. The existing regional laboratories will be linked with the IPHLs. Besides this, IPHLs will have linkages with the Medical Colleges for the advance tests and also with research institutions, universities, etc., wherever feasible for the purpose of research and development.

Presently, various programs have different system of linkages for referral tests which also needs to be integrated at Medical College/ State/ Regional level. This will further help not only in optimization of resources but also in maintaining quality and effective monitoring.

## 2.3 Integration and Coordination at Various Levels

Achieving 'Health for All' is only possible by close integration and coordination between health and other concerned departments like veterinary, water, food and environment, forest, and climate change, etc. Such close integration and coordination at district level is to be established with existing laboratories under various departments like Central Pollution Control Board (CPCB), FSSAI, PHED, veterinary, forensic department, etc. This will help in sharing of data, and time-bound reporting of identified investigations of public health importance between the departments. This will also help building the capacity of district and block level functionaries for quick collaboration and response in identification and mitigation of health and environmental emergencies, disasters and also sharing relevant reports for routine surveillance. To institutionalize this at national level, NCDC would be the lead and convener for such activities with representatives from various agencies/departments including NHSRC. Similarly, Nodal Officers can be identified by respective departments at state and district level for coordination and information sharing.

**Figure 2: Upward Linkages of IPHL (Integrated Public Health Network)**



## CHAPTER

# 3

## Services

Integrated District Public Health Laboratory (IPHL) will perform all the required clinical and public health diagnostic tests as per updated Indian Public Health Standards (IPHS) under one roof. The IPHL will support routine surveillance and outbreak investigation of infectious diseases. As and when needed, IPHL may perform environmental investigations (such as water culture for coliforms) and rapid diagnostic tests to support outbreak investigations. These services will include the following: (for details refer **Annexure-I**)

Test Area	Tests to be conducted	Major Equipment Required
Clinical Pathology	Urine microscopy, chemistry and pregnancy test, Stool microscopy for ova, cysts and parasites Stool occult blood Stool Hanging drop for cholera Rapid stool test for cholera Semen analysis	Binocular Microscope, Urine analyser Centrifuge Bunsen burner with gas supply
Haematology	Microscopy of peripheral blood smear for blood cells & haemoparasites (malaria/filaria) Complete haemogram & cell count Blood grouping, cross matching, Coombs and hemoglobinopathies Coagulation profile Bone marrow examination	Binocular Microscope Automated Cell Counter (3 part/5 part) with nucleated RBC flag Automated Coagulometer Automated ESR analyser Haemoglobin HPLC machine (variant analyser)
Cytology	Fine-Needle Aspiration Cytology (FNAC) PAP smear examination CSF & body fluid cytology	Binocular Microscope Centrifuge

Test Area		Tests to be conducted	Major Equipment Required
Biochemistry		Quantitative analysis of routine biochemical parameters and special chemistry parameters (including hormones)	Automated Biochemistry analyser ISE based Electrolyte analyser Automated Hormone Immunoassay analyser (CLIA Based)
Microbiology	Bacteriology	Microscopy, Bacterial Culture & Antimicrobial susceptibility testing for clinical samples  Microbiological analysis of Water (H2S test for screening, Coliform presence-absence (PA) test for confirmation)	Binocular Microscope Incubator Automated blood culture Automated bacterial ID/AST system Biosafety Cabinet Class II A2 (model conforming to NSF standards) Bunsen burner with gas supply Computer with scanner, printer, UPS Culture media
	Mycobacteriology (TB)	Microscopy for AFB CB-NAAT for mycobacteria	Binocular Microscope (LED) Fluorescent Microscope Biosafety Cabinet Class II A2 with thimble ducting (model conforming to NSF standards) NAAT machine Tissue homogenizer Bunsen burner with gas supply
	Serology	ELISA, Rapid card tests	ELISA reader and washer VDRL rotator/shaker
	Molecular biology/ Virology (BSL-2)	Real Time PCR & Rapid diagnostic platforms for Influenza, COVID-19 and others  Viral load for Hepatitis B & C	Real Time PCR machine Biosafety Cabinet Class II A2 (model conforming to NSF standards) PCR Workstation, ELISA reader and ELISA washer Microcentrifuge PCR hood/PCR workstation
Media preparation room		Preparation of culture media	Electronic balance Hot plate Autoclave Bunsen burner with gas supply
Washing & Sterilization area		Washing & sterilization of glassware Sterilization of biomedical waste	Autoclave Hot air oven
Sample receiving and reporting area		Sample acceptance and registration Report generation and delivery	Computer with scanner, printer, UPS
<b>Routine sampling of air or surfaces for culture is not recommended.</b> In special circumstances air culture using slit sampler can be performed in the operation theatres (OTs) instead of settle plate test.			

The above categorization of tests is done as per the range of diagnostic services available in District Hospitals as per IPHS as well as the various national health programs. However, for tests like anaerobic, fungus or viral culture, linkages need to be established with the tertiary care institutions/state labs.

### 3.1 Equipment

To deliver the services listed above, some essential equipments are required so States should ensure availability of equipment as per the list mentioned in **Annexure-II**. Diagnostic services in the District Hospitals have been strengthened from time to time by providing additional equipments, reagents, other consumables, etc. Under NHM, support for purchase of equipment have been given to the states as per IPHS and similarly, the same has also supported under the various programs. (**Annexure-III**) Since the equipment for conducting such tests are already available in the District Hospitals, the existing equipment should be utilized before procurement of any new equipment. Also, some equipment will be common among the service areas based on their utilisation/performance. So, a comprehensive gap analysis of available equipment not in the central lab but also those available under the programs need to be undertaken and accounted for before proposing purchase of any new equipment under IPHL. The requirement of reagents and consumables will depend on the equipment and testing methodologies.

All equipments of the laboratory must be covered under comprehensive Biomedical equipment Management and Maintenance Program (BMMP) of GoI and adopted by the State for their healthcare institutions. This will help in reducing downtime of the equipment and ensure their functional status and standardisation.

It is the responsibility of the laboratory staff and also the concerned department of the hospital to ensure regular cleaning, decontamination/autoclaving of the instruments and equipment being used in the laboratory. The laboratory SOP for the equipment need to define routine cleaning and disinfection protocols for all major equipments.

### 3.2 Environment Sampling


Routine environment surveillance and sampling shall be done by the respective departments. However, during the outbreaks, the laboratory will support some specific samplings for air, water, food, soil/feces, samples from animals, etc., based on the action plan and mutual understanding between the health and other departments. They can also build the capacity of IPHL staff for sampling and transport of certain specimens which need to be processed on priority, during emergency and disaster.

The record of the turnaround time for reporting on critical investigations by respective departments needs to be maintained and monitored at State and District level. IPHL can be evaluated two to three years after its establishment to consider its outcome and need for further expansion. For example, tests for general biomarkers of air pollution for the parameters notified in the National Ambient Air Quality Monitoring Standards 2009, (like macrophages for PM10, trans-muconic acid for benzene etc.) may be added to assess the health effects of air pollution.


### 3.3 Flow of Services in Laboratory

The laboratory workflow should be streamlined to ensure best patient care, safety and accuracy of clinical test data. Meticulous management is required throughout the workflow to ensure error-free results. Figures 3 and 4 provide a quick overview of laboratory work and specimen flow through the laboratory.

**Figure 3: Laboratory Workflow Plan**



**Figure 4: Service areas within the laboratory**



### 3.4 Laboratory Timings

The laboratory will be functional round the clock (24 X 7) especially the Hematology and Biochemistry unit. It can be functional in three shifts i.e. morning, evening and night. The timings for the sample collection of the OPD patients would be from 8 AM. However, in case of special cases, or fasting samples, laboratory technicians (LTs) on night duty may do early morning collection.



## CHAPTER

# 4

# Sample Collection and Transport

As proper collection and transport of samples is the key to good quality test results, the laboratory must take lead on training and providing guidance to all healthcare workers involved in the process. The Standard Operating Procedures (SOPs) for collection, packaging, and transportation of specific samples shall be explained in a separate manual. The present guideline provides only general principles and common protocols which need to be adhered for collection, packaging and transportation of samples. Program specific guidelines can also be consulted for any further specific details required in this regard.

## 4.1 Sample Collection

On the basis of collection, the samples are of three types:

- a. Samples collected from OPD
- b. Samples from IPD of the hospital and
- c. Samples collected from spokes/peripheral facilities.

District and other hospitals which function as hub need to estimate the total load based on the OPD, bed strength and spokes attached. For instance, a 300-bedded District Hospital (estimated for a District with 20 Lakh Population) will have the capacity to conduct on an average 2200 tests per day including the samples received from spokes like CHCs, PHCs and HWCs.

Standard precautions, strict adherence to technical protocols, regular disinfection and cleaning is recommended for infection control in all critical care areas. The clinical samples/specimen should be collected by the clinical staff and nurses in their respective areas and transported to the laboratory as per the process defined in the sample handling manual of the laboratory. Blood samples should be collected in vacutainers preferably by vacutainer needle and holder to avoid leakage from containers (blood culture samples however will be added in blood culture bottles directly). Similarly, the collection and transport from block public health laboratory and other peripheral laboratories will also be undertaken as per the recommended procedures. For example: samples for coagulation tests like PT shall be drawn in a vacutainer ensuring appropriate blood to anticoagulant ratio and sample to be transported within prescribed time (4 hours) and temperature (25°C).

## 4.2 Specimen Packaging

Routine samples can be packed safely to avoid spillage, and spoiling the slides. For labelling, preferably pre-printed barcode labels should be utilized. While all clinical samples should be safely packed in Triple layered container packing (particularly virology) according to standard international guidelines, along with a copy of detailed history of patient on the proforma.

## 4.3 Sample Transportation

Transportation of samples will be from;

- a. OPD/Ward/Causality/ICU to the laboratory within the same institute
- b. The peripheral facilities like CHCs, PHCs, HWCs to the District IPHL located elsewhere

Generally, the samples collected are of two types- blood and compartmental Specimens (nasal, sputum, saliva, urine, etc). Thus, the transportation varies according to the type of sample and type of test. Sample transportation will be of two types;

1. Samples requiring cold chain conditions (Thermocol boxes with ice packs)
2. Samples which do not require cold chain

The general principles of transportation will include:

- a. The samples should be transported under required conditions to the reference laboratory with prior intimation. The cold chain should be maintained and monitored throughout transportation wherever necessary.
- b. The samples should be kept in separate boxes in upright position.
- c. Transportation boxes must have the biohazard stickers on it.
- d. Specimen data forms, letters and other types of information should be kept intact.
- e. The spokes (PHC/SC/UPHCs) should be set up in such a manner that cumulative sample transportation time from multiple health facilities to the primary receiving hub laboratory should not exceed 2 hours (starting from the point of pick-up)
- f. Samples should be picked up from the health facilities on the same day and transported to the hub laboratory/mother laboratory for testing.
- g. Samples should be picked up once a day from PHCs, and twice a day from CHCs/FRUs, depending on the patient load.
- h. Pick-up of emergency samples (as per the clinical judgement of Medical Officer) should be done within 1 hour from CHCs.
- i. For CHCs, the reason for emergency sample pick up should be provided by the health facility in a form, which will ensure that the service provider sends a transportation person out of turn for only those samples which actually require urgent report.

- j. The samples should be picked up from PHCs essentially not before 12 PM. In CHCs, FRUs and 24 X7 PHCs, the first round of sample pick up should be around 11 AM and second round of sample pick up should be around 4 PM.
- k. The sample dispatch time should be recorded electronically in the LIMS and monitored till the report is generated and delivered to patients.

Transportation of samples from the spokes to the hub can be done as per the provisions suggested in the Guidance document for implementing Laboratory Services in the States under Free Diagnostic initiatives. However, while transporting the samples, adequate precautions and safety of samples should be strictly maintained.

Reports from hub to spokes can be sent through LIMS or other electronic modes. A record for the same needs to be maintained both at hub and spoke. Patients can collect printed reports from the institution where the sample was taken. The intimation that the reports are ready will be sent through SMS to the patient along with the link for downloading the soft copy of the reports, wherever possible. This service will be in-addition to the right of the patient to receive the hard copy of reports where the sample was submitted.

## 5.1 Structural Components and Design of IPHL

Presently, various program laboratories are functional in the district like for TB, HIV, IDSP, etc., either within the DH or outside its premises, besides the clinical laboratories for routine testing. In order to establish an integrated laboratory, the existing clinical laboratories, public health laboratories or any other program laboratory need to be mapped and restructured to provide comprehensive services as envisaged under IPHL guidelines:

- ❖ An ideal IPHL design should have two components- a central sample collection facility and an integrated diagnostic testing facility. Both these components can be established as a combined unit on the same floor or in parts at different floors.
- ❖ If the existing hospital design permits vertical extension, then the central sample collection facility should be located near or coincide with the main OPD area of the hospital. The waiting, registration, report dissemination, toilets, drinking water facility and other amenities available in the OPD area can be common and preferably located at the ground floor.
- ❖ The integrated diagnostic testing facility can be established in a separate location or floor and a dumb waiter can be used to transport samples from the collection area to the testing area.
- ❖ The samples received from IPD, and Emergency department will be sent directly to the testing area. An alert (alarm) system can be used to indicate sample drop. The diagnostic facilities should be available 24 X 7.
- ❖ The access to laboratory's testing area should be restricted to the laboratory staff only.
- ❖ A counselling area to be included in the layout for pre and post testing counselling and for taking consents for testing.

## 5.2 Details of the Components

### i) Central Sample Collection Facility

In the design, a common sample collection area for specimens must be conveniently located, especially for pregnant women, elderly, and differently abled patients. It should have sufficient space for patient

reception, registration and waiting area. There should be adequate space provided for setting up at least 3 sample collection counters/stations (with adequate provisions for privacy like curtains, etc) and a separate negative-pressure room for collection of Microbiology samples with potential for airborne transmission (e.g. oro/naso-pharyngeal swabs, pus aspirates, skin scrapings) and performing Fine Needle Aspiration Cytology (FNAC). For FNAC, a separate room to be provisioned with a bed and adequate privacy. The pathologist doing FNAC needs to ensure smears are made there itself. The sample collection area must have a well-designated biomedical waste management corner indicated with signage and protocol posters.

The interaction of patients with the laboratory needs to be limited to central sample collection area. The registration for laboratory, in DHs lacking digitalized registration system will be done by a DEO into the Laboratory Information Management System (LIMS) directly. Since most of the equipment are automated and linked with computerized system so the same DEO can be utilized for compiling the reports.

## ii) Integrated Diagnostic Testing Facility

This has facility for testing routine and public health related diagnostic facilities located at one place. The following areas should be clearly marked i) Sample receiving and reporting area ii) Clinical pathology iii) Hematology iv) Cytology v) Biochemistry vi) Bacteriology vii) Mycobacteriology viii) Serology ix) Molecular Diagnostic/Virology x) Media preparation room xi) Washing and sterilization area (linked with Effluent Treatment Plant, ETP) with auxiliary areas. The Microbiology laboratory, Mycobacteriology (TB) and Molecular diagnostic (PCR) laboratories are separated from rest of the laboratories through an access-controlled entry to ensure safety of the laboratory staff. TB and PCR laboratories will be negatively pressurized within the same facility.

The integrated laboratory testing area will be accessible to staff only and includes space for office, cubicles for four specialists, staff room, change rooms (including for donning and doffing) and rest rooms. The staff room will also be utilized as training hall for the capacity building of the block laboratory staff.

In addition to the above structures, the lab will have auxiliary/accessory areas like i) Small storeroom ii) Cold room iii) Server and electrical room, which will have entry from the emergency exit gate and restricted entry will be ensured by the store manager.

This is only a sample design and individual labs may need to improvise according to the space available to them. For example, a laboratory may set up the collection and testing facilities at different locations. It is however advised that the core concept of the design as pertaining to central sample collection, streamlined specimen flow, access restriction and biosafety controls be adhered to as closely as possible.

## 5.3 Principles of Laboratory Design

1. The laboratory shall have adequate space allocated designed to ensure the Quality, safety and efficacy of the service provided to the users and the health and safety of laboratory personnel, patients, and visitors. The proposed infrastructure of the laboratory is based on the range of services to be provided at that facility. However, planning should be prospective and take into account expected burden of disease and seasonal variation. New structures should be planned, designed and constructed considering the scope for future expansion.
2. The laboratory needs to be compliant with mandatory regulations like Biomedical Waste Management Rules, 2016, Liquid waste management, Fire Safety, potable water, HIV/AIDS prevention and control Act (with mandatory provision of pre and post-testing counselling), Occupational Health and Safety Management System (OHSMS) and other such regulatory requirements for running a laboratory.

3. Clean electric power supply: Electrical installation must be done carefully to ensure proper distribution of electric load along with load balancing to various equipment and installations in a laboratory. Automatic voltage regulators which regulate fluctuating input power voltage and maintain constant output voltage should be provided. Adequate electric points on the various walls (at < 1.5 m height from the floor) needs to be ensured for easy connection. Use of explosion proof plugs, plug connector and socket is essential to ensure safety against explosion. All equipment must have separate connections with electrical points for safety of the equipment. New electrical appliances should have a minimum 3-star rating from Bureau of Energy Efficiency or equivalent recognized organization to minimize the energy input.
4. The laboratory should have round the clock power back-up option, a UPS connection should be provided with critical equipment to ensure uninterrupted testing in case of power cut.
5. The laboratory should have arrangement for round the clock potable piped water supply with a provision to store at least three days of water requirement. Installation of water purifiers can be done as per the requirement to ensure availability of water-free of microbes, ions and organic compounds for conducting tests. Cleaning of all water tanks should be ensured on a regular basis (at an interval of maximum three months) and records should be maintained accordingly.
6. There should be separate Air Handling Units (AHUs) for Mycobacteriology and Virology laboratories. AHUs are required to maintain negative pressure in these highly infectious areas. However, a positive pressure needs to be maintained for other areas to prevent spread of infectious spore/viruses to rest of the laboratory. Thus, installation of Heating Ventilation and Air conditioning (HVAC) system is sufficient in other areas of core testing facility. The category of HEPA filter H13-14/99.7% efficiency with air flow speed 25-35 FPM can be used for ventilation. Ductless AHU can be preferred since it reduces the maintenance cost, growth of microbes and frequency of cleaning.
7. Also, air changes are critical for controlling airborne organisms. It is suggested that the air changes of critical areas like Mycobacteriology and Virology will be like that of an ICU that is ideally 12-15 air exchange and out of these, six should be fresh air exchanges per hour. The specifications to be maintained will be-humidity 45-65%, temperature  $23\pm 2$ , positive and negative pressure -2.5Pa (particularly for TB containment Laboratory -12.5 Pa).
8. Flooring: Floor in the lab should be of vitrified anti-skid tiles with seamless joints which are easy to clean.
9. Since this laboratory is an integrated laboratory including Bacteriology, Mycobacteriology and Virology/Molecular Diagnostic sections, entry to the laboratory needs to be regulated through access control to ensure Biosafety and Biosecurity. The high containment areas (bacteriology, mycobacteriology and virology) will be set-up in the farthest corner of the facility (*These areas are demarcated in the sample layout*). There shall be adequate provision for waste segregation and disposal in the IPHL and disposal for highly infectious materials shall be in accordance with latest biomedical waste disposal guidelines of the Central Pollution Control Board (CPCB) of Government of India. Liquid waste generated in the laboratory needs to be connected to an effluent treatment plant (ETP) of the hospital through a dedicated outlet.
10. The following specific design requirements for a BSL-2 Lab need to be in-built in the design of the laboratory.
  - a. Doors should have access control (lockable door if housing restricted agents) and a sink must be located near the exit door
  - b. Handwashing sink should be present
  - c. Bench tops should be impervious to water and resistant to moderate heat and organic solvents, acids, alkalis, and chemicals used for surface decontamination

- d. No fabrics or carpeting allowed in the lab
- e. BSCs should be positioned such that fluctuations in air supply and exhaust or the operations of equipment do not alter the performance standard of the cabinet
- f. Eyewash station should be readily available.
- g. Autoclave should be available in the facility
- h. Negatively pressurized sections of the laboratory (e.g. Mycobacteriology, Virology lab) should have 100% exhaust.
- i. The laboratory should be equipped with fire/emergency exits along with provisions for appropriate storage of inflammable materials and appropriate class of extinguisher (class BC or ABC).

## 5.4 Sample Layout of IPHL

Sample layout of IPHL are given in **Annexure- IV**. There can be two models- one with separate central sample collection facility and integrated core testing facility or an integrated laboratory with co-located central sample collection and core testing area. The layout design should take into consideration the liquid waste generated in the laboratory which needs to be connected to an effluent treatment plant (ETP) of the hospital through a dedicated outlet.

The area of the laboratory shown in the sample layout is around 4000-5000 square feet which is adequate to carry out the desired functions without compromising quality and safety. However, this is not binding requirement and the size of IPHLs may vary depending on the availability of the space as long as the basic principles of workflow, quality, safety and waste management are followed.

## CHAPTER

# 6

# Human Resource

For efficient and effective functioning of the laboratory, it is important to have motivated, empowered, trained and skilled workforce. The number and type of staff in terms of specialists, paramedical and support staff will be as per IPHS, any additional requirement of workforce will be guided by the services and the performance parameters. The roles and responsibility of each category of IPHL staff should be clearly specified in the Terms of Reference (TORs).

Mapping of the existing HR under all the programs at the facility level should be done, and accordingly the HR components under different programs can be clustered into essential and desirable as mentioned in the Indian Public Health Standards (IPHS). This will help to prevent hiring of additional staff as existing staff can be roped in to perform the functions. The details of workforce required are given below.

To ensure delivery of assured services, the laboratory technicians and support staff will work together under the guidance of specialists i.e. Microbiologists, Pathologists and Biochemists. While maximum Human Resource can be utilized during the core shift (morning), all the emergency services/tests can be performed in other shifts utilizing staff. Human Resource will depend on the case load of the facility, for example,

- i. For instance, a facility with approximately 1000 OPD per day, will conduct roughly amount to 1200 tests. In addition to above, samples from around the district will also be received at this laboratory through hub and spoke model. These will roughly be additional 1000 tests per day.
- ii. For the above load, the following laboratory staff will be required for a 24 x 7 running laboratory with the minimum performance standard for LTs as 200 tests per day. (as per IPHS 2022, for a 300-bedded DH)

### Specialists:

- ❖ Essential- 03 Specialists (01 Pathologist, 01 Microbiologist & 01 Biochemist)
- ❖ Desirable (Additional)- 02 Specialists (01 Pathologist, 01 Microbiologist)

### Medical Lab Technologists/Lab Technicians (Shift Wise\*):

- ❖ Essential- 11 Lab Technicians
- ❖ Desirable (Additional)- 04 Lab Technicians (based on the minimum performance standards)

*\*The shift-wise deployment of the HR is only indicative; the number will depend upon the case load of the facility.*

**Table 1: Minimum Human Resource Required for Integrated District Hospital Laboratory functioning round the clock (24 x 7) as per IPHS**

Human Resource	Total Number	Remarks
Specialist	03	1 Pathologist, 1 Microbiologist, 1 Biochemist
Medical Lab Technologist/ Laboratory Technician	11	One of the Senior Lab Technicians will be trained in quality to perform the functions of Quality Manager for the lab.
Data Entry Operator/ Data Analyst	01	Normal Duty Hours – 9 to 5:30 pm
Sanitation Staff	02	
Total	17	
<b>Housekeeping staff and Security Guard:</b> Adequately trained sufficient number of housekeeping staff/ward attendants and security guard should be available round the clock either in house or through outsourcing. Its number can be decided locally by the state/district health authorities.		
<b>Sanitary Inspector/Infection Control Nurse of the hospital will work in close association with laboratory/IPHL for implementation of infection control practices.</b>		

Detailed HRH requirements for a District Hospitals under IPHS 2022 can be accessed- <https://nhsrcindia.org/sites/default/files/SDH%20%26%20DH%20IPHS%202022%20Guidelines%20pdf.pdf>

## Developing IPHL as a Training Hub

District Hospitals having more than 200 beds with integrated lab services as per the GoI guideline can initiate training courses for lab technicians and post-MBBS doctors. The IPHL can also offer internships/ short-term trainings to the students pursuing courses related to lab. However, any pre-service courses need to follow the protocols and norms of the respective University giving affiliation for such courses. The pre-services/in-service postgraduate training courses for MBBS doctors in Pathology, Microbiology and Biochemistry can be initiated if the facility meets the accreditation criteria of the NBE. This will also help to get additional HR for the IPHL.

To ensure that the testing at the IPHL is reliable and accurate, a stepwise approach is followed towards ensuring implementation of Quality procedures and Quality Management System (QMS). This stepwise procedure will begin at the gap analysis to document the present Quality status of an IPHL and to identify training needs.

The process of QA of IPHL should be in accordance with QA programme and with other specific requirements of the GoI. This will also include regular quality audits both, external and internal. The upward and downward linkages with block and zonal/state/regional laboratories should be clearly defined and documented. A detailed Quality Manual for the laboratories will be prepared in addition to this guidelines and include the protocols for testing under specific programmes. Under the overall ambit of the QA Programme of GoI, the Quality initiatives and accreditations shall be undertaken to define mechanism of National Quality Assurance Standards (NQAS) and External Quality Assurance Scheme (EQAS) for IPHL.

Presently, the labs are generally being accredited under NABL, but in phases this will be taken up under GoI guided QA programme. The existing QA team at district and state level will conduct the process of gap assessment and gap filling, report, monitor and review the progress periodically as per the protocols defined under QA programme.

To ensure quality practices in laboratories, the IPHL should implement Laboratory Quality Management System (LQMS) with the following components.

## 7.1 Scope of Services

The laboratory should ensure that full range of tests should be available as per IPHS.

## 7.2 Documentation Requirements

**Quality Manual:** The laboratory shall establish and maintain a Quality Manual that includes;

- ❖ **Organogram** or Hierarchical structure of laboratory mentioning responsibilities, authorities, and interrelationships of the staff
- ❖ **List of documents** along with brief description and unique number used in QMS as described below:
  - Specimen handling manual (including patient preparation, sample collection, storage and transport)

- Test Requisition Form (TRF)
- Specimen logbook
- Specimen acceptance/rejection criteria
- Standard Operating Procedures (SOP) for each test\*
- Result reporting format
- Critical alert criteria
- Laboratory safety manual
- Temperature records (equipment and environment)
- ❖ **Documented policies** established by the laboratory (e.g. policy for waste management, critical alert, turnaround time, verbal reporting, amended reports, lab safety and occupational hazards, etc.) along with activities to implement those policies.
- ❖ **Quality Control Plan** prepared by each section of the laboratory

**\*Format for Standard Operating Procedures (SOP):** SOP for each test shall be written in a language commonly understood by the staff in the laboratory and be available in appropriate locations. Each SOP should have the following components;

- ❖ Purpose of the examination/test
- ❖ Principle and method of the procedure used for examinations
- ❖ Performance characteristics (sensitivity, specificity, detection/quantitation limit/ range etc)
- ❖ Type of sample (e.g. plasma, serum, urine)
- ❖ Patient preparation (pre-collection)
- ❖ Type of container and additives
- ❖ Required equipment and reagents
- ❖ Environmental and safety controls
- ❖ Calibration procedures
- ❖ Procedural steps
- ❖ Quality control procedures
- ❖ Interferences (e.g. lipaemia, haemolysis, bilirubinaemia, drugs) and cross reactions
- ❖ Principle of procedure for calculating results
- ❖ Biological reference intervals or clinical decision values
- ❖ Alert/critical values, where appropriate
- ❖ Laboratory clinical interpretation
- ❖ References

## 7.3 Testing by Referral Laboratories

Each district/sub-district laboratory shall identify and document the referral laboratories they will send samples to.

## 7.4 External Services and Supplies

The laboratory shall have a documented procedure for the selection and purchasing of equipment, reagents and consumable supplies along with the list of approved suppliers.

The laboratory shall monitor the performance of supplies (through internal quality control) to ensure that purchased items consistently meet appropriate quality standards.

## 7.5 Resolution of Complaints

The laboratory shall have a documented procedure for the management of complaints or other feedback received from clinicians, patients, laboratory staff or others. It should be linked with integrated (104) Grievance Redressal System (website and call centre) of the state to ensure time-bound redressal at the appropriate level. Records shall be maintained of all complaints and their investigation and the action taken within the facility itself.

## 7.6 Identification of Errors & Corrective/Preventive Action

The laboratory shall document corrective and preventive action (CAPA) to eliminate the cause(s)/potential causes of errors and deviations.

Errors and deviations can be identified in many different ways, including clinician feedback, internal quality control indications, instrument calibrations, checking of consumable materials, inter-laboratory comparisons, staff comments and internal and external audits

## 7.7 Maintenance of Documents

The laboratory shall have a documented procedure to ensure that following conditions are met.

- ❖ All documents, including those maintained in a computerized system, are reviewed and approved by authorized personnel before issue.
- ❖ All documents are identified to include:
  - a) A title
  - b) A unique identifier on each page
  - c) The date of the current edition and/or edition number where applicable (e.g. SOPs, Quality Manual)
  - d) Page number to total number of pages (e.g. "Page 1 of 5," "Page 2 of 5,")
  - e) Authority for issue
- ❖ Only current, authorized editions of applicable documents are available at points of use.
- ❖ Documents are periodically reviewed and updated at a frequency that ensures that they remain fit for purpose.
- ❖ Obsolete controlled documents are dated and marked as obsolete.

## 7.8 Control and Archival of Records

The laboratory shall have a documented procedure for storage and amendment of records which include at least the following:

- a) List of approved suppliers
- b) Staff qualifications, training and competency records
- c) Test requisition forms
- d) Specimen logbook and worksheets
- e) Information on reagents and materials used for testing (e.g. lot documentation, certificates of supplies, package inserts)
- f) Instrument printouts (e.g. calibration prints, LJ charts, ELISA readings etc)
- g) Test results and reports
- h) Instrument maintenance records, including internal and external calibration records
- i) Quality control records
- j) Incident/accident records and action taken
- k) Corrective Actions and Preventive Actions (CAPA) taken
- l) Complaints and action taken
- m) Records of internal and external audits
- n) Inter-laboratory comparisons (ILC) /EQAS results
- o) Records of quality improvement activities
- p) Minutes of meetings that record decisions made about the laboratory's quality management activities

## 7.9 Quality Indicators

The laboratory shall establish quality indicators to monitor and evaluate performance throughout critical aspects of pre-analytical, analytical and post-analytical processes e.g.

### Pre-analytic Indicators:

- ❖ Percentage of unacceptable samples (samples rejected)
- ❖ Percentage of contaminated blood cultures

### Analytic Indicators:

- ❖ EQAS score\*/ILC
- ❖ Number of IQC failures
- ❖ Results of competency assessment of the staff
- ❖ Average downtime for hematology analyzer (3 part/5 part) and biochemistry analyser (semi/fully automatic)

\*Participation in EQAS is mandatory for most of the areas of testing. For those tests not covered by EQAS, Inter-Laboratory Comparison (ILC) should be done.

### Post-analytic Indicators:

- ❖ Turnaround times compliance (Percentage of results meeting turn-around-time)\*
- ❖ Number of missed critical alerts

\*The laboratory shall establish turnaround times for each of its examinations that reflect clinical needs. The laboratory shall periodically evaluate whether or not it is meeting the established turnaround times.

### Indicators for Public Health Functions:

- ❖ Number of IPHS recommended parameters included in the scope of testing
- ❖ Number of Tests being done by Labs
- ❖ Percentage of outbreaks detected by IPHL through routine lab-based surveillance
- ❖ Percentage of outbreaks investigated by IPHL in the district

## 7.10 Human Resource and Training

- ❖ A **Quality Manager** should be identified, and their responsibilities should be defined
- ❖ **TOR/Job Descriptions:** The laboratory to provide (by the state) job descriptions that describe responsibilities, authorities and tasks for all personnel.
- ❖ **Training:** The laboratory shall develop an annual calendar and provide induction and yearly refresher training for all personnel at least in the following areas:
  - Documentation (specimen handling manual, specimen request form, specimen logbook, acceptance/rejection criteria, critical alerts, inventory management, result reporting format, IQC records, patient information confidentiality etc.): 2 days
  - Training on SOP development: 2 days
  - Training on sample collection, packaging and transport: 1 day
  - Training on laboratory safety, infection prevention and biosafety cabinet certification: 2 days
  - Applicable laboratory information system: 1 day
  - Comprehensive practical training on laboratory testing, including Internal Quality Control (IQC): 3 days
  - Orientation Training for clinicians and rapid response teams on laboratory-based surveillance of infectious disease, including syndrome-based approach for detection and response: 3 days

District IPHL should be responsible for training and mentorship of Block Public Health Laboratory staff. The laboratory in-charge will be responsible for training and competency assessment of laboratory staff.

## 7.11 Laboratory Equipment, Reagents, and Consumables

- ❖ Equipment acceptance testing and maintenance: The laboratory shall verify upon installation and before use that the equipment is capable of achieving the necessary performance. The laboratory shall have a documented system for preventive maintenance which, at a minimum, follows the manufacturer's instructions.
- ❖ Equipment calibration: The laboratory shall have a documented procedure for the calibration of equipment. Laboratories must calibrate a test system when it is first placed in service and perform recalibration at least every six months thereafter. Recalibration is also required (regardless of when it was done last) immediately if any of the following occurs:
  - i. A change of reagent lots
  - ii. If QC results are outside of the laboratory's acceptable limits, and other means of assessing and correcting unacceptable control values fails to identify and correct the problem
  - iii. After major maintenance or service.
  - iv. When recommended by the manufacturer
- ❖ Equipment records: These equipment records shall include, but not be limited to, the following:
  - i. Identity of the equipment with manufacturer's name, model and serial number or other unique identification
  - ii. Contact information for the supplier or the manufacturer
  - iii. Date of receipt and date of entering into service
  - iv. Location
  - v. Condition when received (e.g. New, used or reconditioned)
  - vi. Manufacturer's instructions
  - vii. Records that confirmed the equipment's initial acceptability for use when equipment is incorporated in the laboratory
  - viii. Maintenance carried out and the schedule for preventive maintenance
  - ix. Equipment performance records
  - x. Malfunction, modification, or repair of the equipment

## 7.12 Reagents and Consumables

- ❖ Acceptance testing: Each new lot or shipment, shall be verified for performance before use in tests. For example: Evaluation of serological testing of kits for quality (HIV, HCV and HBsAg) before they are made available in the field.
- ❖ Inventory management: The laboratory shall establish an inventory control system for reagents and consumables.
- ❖ Records: Records shall be maintained for each reagent and consumable that are used for the tests. This will include batch number, lot number, date of receipt, date of expiry, date of entering into service and manufacturers' instructions.

## 7.13 Pre-analysis Processes

- ❖ Information for patients and users: The laboratory shall have information available for patients and users of the laboratory services regarding lab opening hours, tests offered, patient preparation, instructions for patient-collected samples and transport of such samples
- ❖ Test request form information: The request form or an electronic equivalent shall include, but not be limited to, the following;
  - i. Patient identification, including gender, date of birth, and the location/contact details of the patient, and a unique identifier;
  - ii. Name or other unique identifier of clinician, healthcare provider, or other person legally authorized to request tests or use medical information, together with the destination for the report and contact details;
  - iii. Type of primary sample and, where relevant, the anatomic site of origin;
  - iv. Tests requested;
  - v. Clinical history of the patient, for test performance and result interpretation purposes
  - vi. Date and, where relevant, time of primary sample collection
  - vii. Date and time of sample receipt
- ❖ Primary sample collection and handling: The laboratory's instructions for collection activities shall be described in detail in the sample handling manual and will include process for assigning patient identifiers, pre-test requirements, method of collection and storage of samples and safety practices.
- ❖ Sample reception: The laboratory's procedure for sample reception shall ensure that laboratory-developed and documented criteria for acceptance or rejection of samples are applied, all samples received are recorded in a specimen logbook, or computer.

## 7.14 Analysis Processes and Quality Control (QC)

- ❖ All test methods will be documented in Standard Operating Procedures (SOP)
- ❖ Test procedures shall be verified through appropriate QC methods by the laboratory before being introduced into routine use. For this, the laboratory shall use appropriate QC materials at recommended frequencies and the data reviewed by authorized personnel. When the QC rules are violated, the results shall be rejected, and relevant patient samples re-examined after the error condition has been corrected
- ❖ External Quality Assessment Scheme (EQAS): The laboratory shall participate in an External Quality Assessment Scheme appropriate for the whole range of testing (scope of testing) and shall monitor the results of the EQAS and participate in the implementation of corrective actions as and when required.
- ❖ Whenever EQAS is not available for any test parameter, the laboratory shall develop an alternative system for the same purpose (e.g. exchange of sample with other laboratories i.e. inter-laboratory comparisons)

## 7.15 Post-analysis Processes

- ❖ The laboratory shall have a documented procedure to ensure that the confidentiality of patient information is maintained at all times.
- ❖ Review of results: The laboratory shall have procedures to ensure that authorized personnel review the results of tests before release and evaluate them.
- ❖ Storage, retention and disposal of clinical samples: The laboratory shall have a documented procedure for retention, storage and safe disposal of clinical samples and shall define the length of time clinical samples are to be retained.
- ❖ Reporting of results:
  - Report content: The report shall include, but not be limited to, the following:
    - i. Name of the test including, where appropriate, the test procedure
    - ii. The identification of the laboratory that issued the report
    - iii. Identification of all tests that have been performed by a referral laboratory
    - iv. Patient identification and patient location on each page
    - v. Name of the requesting doctor
    - vi. Date of primary sample collection (and time, when available and relevant to patient care)
    - vii. Type of primary sample
    - viii. Test results reported in SI units or other applicable units
    - ix. Biological reference intervals (normal ranges)
    - x. Interpretation of results and comments where appropriate
    - xi. Identification of the person(s) reviewing the results and authorizing the release of the report
    - xii. Date of release of report
    - xiii. Page number to total number of pages (e.g. "Page 1 of 5", "Page 2 of 5", etc.)
  - Critical/Alert result reporting:

When examination results fall within established "alert" or "critical" intervals (e.g. very low platelet count, low or high serum potassium levels, growth in blood culture etc.):

    - i. A physician (or other authorized health professional) should be notified immediately
    - ii. Records should be maintained of such notification that document date, time, examination results conveyed, responsible laboratory staff member and person notified.

## 7.16 Monitoring and Supervision

State Health Unit needs to develop a team of experts for regular troubleshooting and mentorship of IPHL staff using online platforms. The team will include experts on Microbiology, Pathology and Biochemistry along with state health representatives. The platform will promote discussions through shared digital images, relevant national and international standards to uplift the knowledge on diagnostic and

quality needs to ensure effective functioning of the laboratories. The involvement of the state health representatives can help achieve the following goals through this platform: i) monitor public health activities on a regular basis, ii) drive target-based performance indicators for DPHLs, and iii) resolve certain administrative challenges. In addition, the state team may conduct onsite visits to laboratories as deemed necessary.

Also, a system should be developed for regular monitoring and periodic (quarterly/six-monthly) review of IPHLs by state health unit based on indicators to assess performance of IPHLs and identify scope of improvement (List of monitoring indicators for the State are given in **Annexure-V**)

To motivate IPHL staff for continuous Quality improvement, well-performing IPHLs should be recognised for their efforts in the following ways:

- i) Non-monetary team awards to the facility and laboratory staff.
- ii) Felicitation of IPHL team at State and National level.
- iii) IPHL Staff can be nominated for higher education/training in reputable institutions at state expense.

The Central and State lab QA teams are expected to develop a laboratory safety manual which will include adequate engineering controls and biosafety measures to ensure safe working environment. The staff to be informed/trained to practice protocols for needle prick injury, splashes, spill management, etc. The staff should be immunized regularly as per the schedule. The labs can also apply for certification on Occupational Health Safety Management System.

All laboratory practices must adhere to the process for disinfection, liquid waste management, segregation of medical wastes as per the protocol and processes defined under BMW rules 2016 (**as per Annexure-VI**) and amended from time to time along with guidelines and directions issued by Gol and the respective States. The labs will also adopt standard procedures for chemical, electrical, mechanical and fire safety. Biohazard signs need to be used for infectious materials as required.

#### Basic practices for BSL-II containment laboratories

- ❖ Access to the laboratory should be restricted when work is being conducted.
- ❖ Use of appropriate personal protective equipment (PPE) including lab coats and gloves, eye protection and face shields, as needed.
- ❖ Perform all procedures that can cause infection from aerosols or splashes within NSF-certified Class II type A1/A2 biological safety cabinet.
- ❖ Segregation and disposed of waste generated as per Biomedical Waste Management Rules, 2016 and guidelines.
- ❖ Use autoclave or an alternative method for decontamination for proper disposals.
- ❖ Annual inspection of fire extinguishers and replacement as per need.
- ❖ Annual trainings of laboratory staff to use fire extinguisher and on hazardous waste management.



## CHAPTER

# 8

# Laboratory Information Management System (LIMS)

All the laboratory information data need to be digitalized to support surveillance and managing outbreaks using geospatial information. The system for digitalization of the laboratory information data ideally be a part of Integrated Health Information Platform (IHIP). In case, it is not there any laboratory information system/ data necessarily needs to be linked with the IHIP. The computer-based information management system i.e. LIMS for IPHLs needs to deliver correct and complete information to the laboratory staff, clinicians, patients and programme managers as efficiently as possible. LIMS plays a key role in laboratories meeting quality standards, decreasing transcription errors, reducing turnaround time from specimen receipt to reporting of results, and improving patient outcomes. There are two common types of LIMS: (1) a module within a hospital information system (HIS) and (2) a stand-alone LIMS. A LIMS within HIS serves mostly as a means to capture results and a few key elements of data. The second system—a dedicated LIMS—shares most of the components listed above and can support all the laboratory functions.

A good LIMS should be able to:

- i. Track samples from collection to reporting
- ii. Report test results for patient care (via HIS, email, SMS, etc.)
- iii. Collect, store, archive and analyze laboratory data
- iv. Report analyzed data to district and state administration, Ministry of Health & Family Welfare (MOHFW)
- v. Inventory management (kits and reagents etc.)

As a backup, laboratories may choose to keep paper-based records (in case computerized information system not available) to manage workflow, quality and audit trail for the samples processed in the laboratory. Also, laboratories shall have a documented procedure to ensure that the confidentiality of patient information is maintained at all times.

# Implementation Mechanism for IPHL

Under PM-Ayushman Bharat Health Infrastructure Mission, the policy decision to integrate the multiple laboratories existing within the District Hospital was taken. This is also adopted as a principle in Indian Public Health Standards 2022. For establishing the IPHL, the resources of existing clinical and program laboratories of the hospital will be leveraged and gap fillings to meet the IPHL flow and norms can be done by utilizing the funds sanctioned for the same under IPHL. This will avoid duplication of resources including available infrastructure, equipment, and human resources. Actions to accomplish this various from state to state depending upon the state specific situation, however some of the suggestive steps are:

1. Constituting committee/teams at State and District level including representation from the various programs like NTEP, IDSP, NACP, etc to conduct the gap assessment as per the GoI pre-assessment checklist. (**Annexure VIII**)
2. Site Selection based on the physical verification conducted by the committee/team for integrating the existing lab through extension/restructuring/new construction/upgradation to IPHL for providing services to whole district. Ideally, IPHL should be established at the District Hospital to provide in-house diagnostic services as per IPHS 2022.

## **Priorities for site selection:**

### **Scenario 01- Upgradation of existing clinical/ routine lab-**

- a. Renovation of the existing clinical laboratory
- b. Shifting of adjoining areas/rooms to some other location and physically integrating all laboratories.

### **Scenario 02-Vertical extension of existing lab-**

- a. If space is not available to construct the IPHL as an integrated unit, then can be constructed in two parts-
  1. a central sample collection facility – in OPD area/ground floor
  2. an integrated diagnostic testing facility- first or second floor
- b. If space is not available to construct the IPHL as an integrated unit, then can be constructed in three parts with sample collection facility on ground floor or near OPD.

### **Scenario 03- Shifting of lab in newly constructed building within the campus of DH-**

- a. If adequate space not available within the premises of district hospital, then suitable co-located building/newly constructed building could be utilized for establishing IPHL with scope of vertical/horizontal extension.

### **Scenario 04- New Construction-**

- a. If none of the above scenario is available, then new construction can be undertaken.
  - b. If the DH has approval for new Critical Care Block (CCB), then IPHL can be built on one floor of the CCB building.
3. After selecting the appropriate site, a visit to map the available space along with the civil engineer and architect can be undertaken to finalize the layout.

### **Factors to be considered while designing the layout within the same facility-**

- a. The design should keep in mind setting up the high containment areas (bacteriology, mycobacteriology, and virology) in the farthest corner of the facility.
  - b. Design should incorporate the program requirements as per national guidelines.
4. The layout developed should be discussed within state and district level committees before undertaking any construction.
  5. Increase in the range of services, 134 type of tests as per IPHS 2022 and FDSI.
  6. As per the gap analysis, the procurement of the equipment will be done. The procured equipment should be covered under the Bio-Medical Equipment Maintenance Program (BMMP) for addressing the maintenance issues.
  7. Mapping of the existing human resources at the DH and under various programs need to be done. Accordingly, the integration of the existing staff- specialists, laboratory technicians and support staff are to be done for providing round the clock assured coverage.
  8. If required based on the number of tests being currently performed by the lab, additional hiring of the human resources can be done.
  9. After assessment of the training needs, capacity building of the laboratory staff can be done with support from the NCDC and program divisions.
  10. Establishing appropriate reporting mechanisms for data integration through LIMS which has linkages with IHIP at national level.
  11. Regular monitoring of the indicators to assess the functionality of the lab
  12. Quality certification of the lab under NQAS, NABL, EQAS and ILC.

# Annexures

## Annexure - I: Services

(Lab test as per IPHS + other essential tests+ Public health functions)

S. No.	Areas	Tests
1.	Clinical pathology	<ul style="list-style-type: none"> <li>➤ Human chorionic gonadotropin (HCG) (Urine test for pregnancy)</li> <li>➤ Urine test for pH, specific gravity, leucocyte esterase, glucose, bilirubin, urobilinogen, ketone, protein, nitrite</li> <li>➤ Urine Microscopy</li> <li>➤ Stool for ova and cyst</li> <li>➤ Stool for Occult Blood</li> <li>➤ Semen analysis</li> </ul>
2.	Hematology (including malaria/filaria microscopy)	<ul style="list-style-type: none"> <li>➤ Haemoglobin</li> <li>➤ Total leucocyte count</li> <li>➤ Differential leucocyte count</li> <li>➤ Platelet count</li> <li>➤ Complete blood count</li> <li>➤ Erythrocyte sedimentation rate</li> <li>➤ Blood group and Rh typing</li> <li>➤ Blood cross matching</li> <li>➤ Peripheral blood film</li> <li>➤ Reticulocyte count</li> <li>➤ Absolute eosinophil count</li> <li>➤ Fibrinogen degradation products (FDP)</li> <li>➤ D-Dimer</li> <li>➤ Coombs test direct with titre</li> <li>➤ Coombs test indirect with titre</li> <li>➤ Sickling Test for screening of Sickle cell anemia</li> </ul>

S. No.	Areas	Tests
		<ul style="list-style-type: none"> <li>➤ Sickle cell test rapid for screening of Sickle cell anemia</li> <li>➤ DCIP test for screening HbE hemoglobinopathy</li> <li>➤ Screening test for G6PD enzyme deficiency</li> <li>➤ Testing for sickle cell anemia and thalassemia through automated system (desirable)</li> <li>➤ Test for Malaria (microscopy &amp; rapid test)</li> <li>➤ Test for Filariasis (microscopy)</li> <li>➤ Prothrombin Time (PT) and International Normalised Ratio (INR)</li> <li>➤ Activated partial thromboplastin time</li> <li>➤ Mixing study for Factor Deficiency and inhibitors Haemophilia</li> <li>➤ Haemoglobin electrophoresis/</li> <li>➤ HPLC</li> <li>➤ CD4 / CD8 count</li> <li>➤ Serum Electrophoresis and free light chain assay</li> <li>➤ Plasma fibrinogen and fibrinogen inhibitors serum electrophoresis</li> </ul>
3.	Cytopathology & Histopathology	<ul style="list-style-type: none"> <li>➤ FNAC</li> <li>➤ Pap smear</li> <li>➤ CSF and body fluid counts cytology</li> <li>➤ Histopathology (Desirable)</li> <li>➤ Immunohistochemistry (Desirable) Tissue Biopsy</li> </ul>
4.	Biochemistry/Special Chemistry	<ul style="list-style-type: none"> <li>➤ Blood sugar</li> <li>➤ Glucose Tolerance test (GTT)</li> <li>➤ S. Bilirubin (T)</li> <li>➤ S. Bilirubin direct and indirect</li> <li>➤ Serum creatinine</li> <li>➤ Blood Urea</li> <li>➤ SGPT /Alanine Aminotransferase (ALT)</li> <li>➤ SGOT/ Aspartate Aminotransferase (AST)</li> <li>➤ S. Alkaline Phosphatase</li> <li>➤ S. Total Protein</li> <li>➤ S. Albumin &amp; AG ratio</li> <li>➤ S. Globulin</li> <li>➤ S. Total Cholesterol</li> <li>➤ S. Triglycerides</li> <li>➤ S.VLDL</li> <li>➤ S.HDL</li> <li>➤ S. LDL</li> <li>➤ S. GGT</li> <li>➤ S. Uric acid</li> </ul>

S. No.	Areas	Tests
		<ul style="list-style-type: none"> <li>➤ S. Amylase</li> <li>➤ S. Iron</li> <li>➤ S. Total Iron binding capacity</li> <li>➤ S.LDH</li> <li>➤ Glycosylated haemoglobin (HbA1C)</li> <li>➤ Testing for HbA1C through automated system (Desirable)</li> <li>➤ CRP (including newborn) (Quantitative)</li> <li>➤ S. Sodium</li> <li>➤ S. Potassium</li> <li>➤ S. Calcium</li> <li>➤ S. Ionised Calcium</li> <li>➤ S. Chloride</li> <li>➤ S. Magnesium</li> <li>➤ Arterial blood gas test</li> <li>➤ 24-hours urinary protein</li> <li>➤ Urine for microalbumin, creatinine and urea protein</li> <li>➤ S.TSH (including for new-born screening)</li> <li>➤ S.Free T3</li> <li>➤ S.Free T4</li> <li>➤ Ferritin</li> <li>➤ Troponin - I / Troponin - T</li> <li>➤ S. PSA</li> <li>➤ CSF and body fluid analysis (Glucose, CSF protein, ADA, LDH)</li> </ul>
5.	Microbiology (including Bacteriology, Mycobacteriology, Serology & Molecular diagnostics/Virology)	<ul style="list-style-type: none"> <li>➤ Wet mount and Gram stain for RTI/STD</li> <li>➤ KOH Mount for fungal microscopy</li> <li>➤ Sputum, pus etc. for AFB by smear microscopy</li> <li>➤ Slit skin smear for leprosy</li> <li>➤ Gram staining for clinical specimen</li> <li>➤ Throat swab (Albert stain) for Diphtheria</li> <li>➤ Stool hanging drop for Vibrio Cholera</li> <li>➤ Blood/ body fluid culture (manual/automated)</li> <li>➤ Urine culture</li> <li>➤ Other cultures (pus, throat swab etc.)</li> <li>➤ Culture for Diphtheria</li> <li>➤ Culture of stool specimen for Vibrio cholera and other common bacterial enteropathogens</li> <li>➤ Bacterial identification and Antimicrobial Susceptibility Testing (AST) for all the above cultures (manual/automated)</li> </ul>

S. No.	Areas	Tests
		<ul style="list-style-type: none"> <li>➤ Microbiological analysis of Water (H2S test for screening, Coliform presence-absence (PA) test for confirmation)</li> <li>➤ RPR/VDRL for syphilis (rapid card tests)</li> <li>➤ HIV 1 &amp; 2 (rapid card test)</li> <li>➤ Hepatitis B surface antigen (rapid card test)</li> <li>➤ HCV Antibody (Anti HCV) (rapid card test)</li> <li>➤ rK39 for Kala Azar (rapid card test)</li> <li>➤ Rapid test for Cholera</li> <li>➤ Rapid antigen detection test for Bacterial meningitis</li> <li>➤ Tube Widal/ Typhoid test (IgM)</li> <li>➤ Japanese Encephalitis IgM (ELISA/Rapid)</li> <li>➤ Scrub typhus Test (ELISA/Weil Felix)</li> <li>➤ Test for Leptospirosis (ELISA/Rapid)</li> <li>➤ Test for Chikungunya (ELISA)</li> <li>➤ IgM for Measles (ELISA)</li> <li>➤ Rapid test for Leishmaniasis</li> <li>➤ IgM for Hepatitis A (ELISA/Rapid)</li> <li>➤ IgM for Hepatitis E (ELISA/Rapid)</li> <li>➤ Dengue NS1 &amp; IgM (ELISA)</li> <li>➤ Real Time PCR &amp; Rapid platforms for Influenza, COVID-19 and other emerging infectious diseases</li> <li>➤ Viral load for HCV</li> <li>➤ Viral load for HBV</li> <li>➤ Rapid molecular testing for TB (CB-NAAT)</li> </ul>

## Annexure-II: List of Equipment


S. No.	Equipment Name
1.	Biosafety Cabinet Class II A2 with thimble ducting
2.	Cell counter automatic (5 part) for haematology (Desirable)
3.	Cell counter semi-automatic (3 part) for haematology (Essential)
4.	Fully automated biochemistry analyser with ISE module (Minimum through put of 60 samples/hour) (Desirable)
5.	Semi-automated Biochemistry analyser (Essential)
6.	Automated Hormone Analyser (CLIA Based)
7.	Centrifuge (fixed head) table-top 16 tubes. Up to 6000 RPM
8.	Centrifuge tabletop (swing out) with 8 tubes. Up to 6000 RPM
9.	Automated Coagulometer
10.	ISE based Electrolyte analyser
11.	VDRL rotator/shaker
12.	Binocular Microscopes
13.	Fluorescent Microscope (Desirable)
14.	ELISA reader with washer
15.	Refrigerator 400 litres
16.	Deep freezer (-20 deg C)
17.	Deep freezer (-80 deg C) (Desirable)
18.	Vertical Autoclave (for sterilisation) 100L
19.	Vertical Autoclave (for disinfection) 100L
20.	Vortex mixer
21.	Urine analyser
22.	Electronic balance up to 3 decimal places
23.	Hot Air oven (medium size)
24.	Hot Plate for culture media preparation
25.	Computer with scanner, printer, UPS
26.	Incubator (2 medium-sized)
27.	Digital Thermometer for Lab
28.	Needle destroyer
29.	ESR Tubes with stand
30.	Neubauer's Counting Chamber
31.	Manual Cell Counter
32.	HPLC machine/automated system for haemoglobinopathies/HbA1C (Desirable)
33.	Micropipette 0.1- 2µl

S. No.	Equipment Name
34.	Micropipette 1- 10µl
35.	Micropipette 5- 50µl
36.	Micropipette 50- 200µl
37.	Micropipette 200- 1000µl
38.	Multi-Channel pipette (Octapipette) 200-1000µl
39.	pH meter
40.	Automated ESR analyser
41.	Electrophoresis unit (horizontal)
42.	Gas supply
43.	Bunsen burner
44.	Glassware, Kits and Consumables (as needed)
45.	Real Time PCR machine
46.	Microcentrifuge machine (up to 16,000 rpm)
47.	PCR workstation
48.	Automated system for Blood culture (Desirable)
49.	Automated system for Bacterial Identification and sensitivity (Desirable)
50.	Blood gas analyser
51.	Flow cytometer (for CD4/CD8 counts) (Desirable)
52.	Alcohol thermometer
53.	Alarm clock
54.	Binocular Microscope LED with camera (Desirable)
55.	Slide staining racks
56.	NAAT machine
57.	Histopathology equipment (Desirable)
58.	Tissue Homogenizer (Desirable)
59.	Micro-incinerator for inoculating loops and needles

## Annexure-III: List of Equipment Available under Various National Programs

S. No.	Name of Equipment		
1. National Vector Borne Diseases Control Programme			
1.	Autoclave (Vertical)	8.	Autoclave (Horizontal)
2.	Biosafety cabinet	9.	Computer with printer and UPS
3.	Hot Air Oven	10.	Weighing scale
4.	Incubators Binocular	11.	Needle Destroyer
5.	Microscopes	12.	Centrifuge
6.	ELISA Reader & Washer	13.	Mixer/Rotator
7.	Micropipette Water bath	14.	Refrigerator Deep freezer (-20 °C)/ any other.
2. National AIDS Control Programme			
1.	Pipettes	12.	Torniquets
2.	Centrifuge	13.	Disposable Gloves
3.	Needle Destroyer	14.	Disposable Masks
4.	Room Thermometer	15.	Plastic/ Water- Resistant
5.	HIV Test Kits	16.	Spillage Kit
6.	Test Tube Racks	17.	Soap/ Handwash
7.	Discarding Jar	18.	Eyewash Kit
8.	Color coded bags & bins	19.	PEP Kit
9.	Sodium Hypochlorite Solution	20.	First Aid Kit
10.	Disposable Syringes	21.	Refrigerator
11.	Needle Spirit	22.	Cotton swabs
3. Integrated Disease Surveillance Programme			
1.	Water Bath	10.	Mixer/Rotator
2.	Incubator	11.	Autoclave (Horizontal)
3.	BOD Incubator	12.	Autoclave (vertical)
4.	Binocular Microscope	13.	Biological Safety Cabinet Class 2A
5.	ELISA Reader & Washer	14.	Hot Air Oven
6.	Micropipettes	15.	Weighing scale
7.	Deep Freezer (-20 °C)	16.	Needle destroyer
8.	Centrifuge machine	17.	Computer with printer and UPS Others
9.	Lab Refrigerator (350-450 Ltrs)		
4. National Tuberculosis Elimination Programme			
1.	Autoclave (Horizontal)	10.	Air Conditioner (Split AC with Voltage Stabilizer, Capacity: 1 ton, 1.5 ton and 2 ton)
2.	Autoclave (Vertical)	11.	Microscope Binocular -Bright Field
3.	Balance- Analytical Balance	12.	PCR Thermocycler:
4.	Balance- Precision Balance	13.	PCR Workstation
5.	Bottle Washer	14.	PH Meter
6.	Biological Safety Cabinet Class 2A with thimble ducting and with UPS	15.	Refrigerated Centrifuge with UPS
7.	Electric micro-incinerator for loops	16.	Hot Air Oven (32L)
8.	Hot plate	17.	Microliter Centrifuge
9.	Incubator	18.	Microliter Pipette


## MODEL – 1

[illegible]

## SAMPLE LAYOUT FOR INTEGRATED PUBLIC HEALTH LABORATORIES

[illegible]


## MODEL – 2



## Annexure- V: List of Monitoring Indicators

- a. No. of District with functional IPHLs conforming to norms
- b. % of District PH Labs meeting turnaround time for critical tests as per MOHFW protocols
- c. % of District PH Labs reporting through LIMS/IHIP as per protocols
- d. Real time data uploading on IHIP portal
- e. No. of outbreaks reported through IHIP
- f. Number of Districts Saturated with trained HR for Surveillance activity
- g. No. of Outbreaks detection within 48hours
- h. No. of outbreaks with accessibility for lab testing
- i. No. of BSL-II operational
- j. Training conducted on biosafety and biosecurity
- k. No. of outbreaks responded by RRTs
- l. No. of outbreaks of emerging & remerging/ detected and responded to at district level and referred to State laboratories.
- m. Nos. of training conducted
- n. Number of District with integrated DHAP including plan for Epidemiological Emergencies
- o. Number of diagnostic tests (source: HMIS)
- p. Reduction in OOPE (Source: National Health Accounts)

## Annexure-VI: Biomedical Waste Management at Integrated District Public Health Laboratory



**Note:** Liquid waste generated from IPHL such as chemical Liquid Waste after pre-treatment, used or discarded disinfectants, liquid from laboratories after pre-treatment, Floor washing etc. should be treated in effluent treatment system.

## Annexure-VII: Cleaning Protocol of the Equipment/Items Available in the IPHL

S. No.	Equipment	Type of Cleaning
1.	All equipment for laboratory diagnosis (Haematology analyser, ESR analyser, Biochemistry analyser, Urine analyser, Electrolyte analyser, Coagulation analyser, Turbidometer, Colorimeter, Fluorometer, Flow cytometer, Rotor/shaker, Electrophoresis machine, High pressure liquid chromatography (HPLC), Blood Gas Analyser, ELISA, Chemiluminescence Immunoassay, Nucleic Acid Amplification Machine, Histopathology equipment)	Cleaning and disinfection
2.	Microscope	Cleaning and disinfection
3.	Centrifuge	Cleaning and disinfection
4.	Refrigerator	Cleaning and disinfection
5.	Water bath	Cleaning and disinfection
6.	Computer, UPS, Scanner, Printer & Bar Code Reader	Cleaning and disinfection
7.	Hot air oven	Cleaning and disinfection
8.	Incubator	Cleaning and disinfection
9.	Autoclave	Cleaning and disinfection
10.	UV steriliser	Cleaning and disinfection
11.	Needle syringe destroyer	Cleaning and disinfection
12.	Monopan analytic weighing scale	Cleaning and disinfection
13.	Alcohol thermometer	Cleaning and disinfection
14.	Bio-Safety Cabinets (Level- II)	Cleaning and disinfection
<b>A. Reusable Items</b>		
1.	Test-tubes	Dry-heat sterilization (Hot-air oven)
2.	Petri-dishes	Dry-heat sterilization (Hot-air oven)
3.	Racks	Cleaning & disinfection
4.	Glass slides	Dry-heat sterilization (Hot-air oven)
5.	Micropipettes	Dry-heat sterilization (Hot-air oven)
6.	Head caps (non-disposable)	Steam sterilization (autoclave)
7.	Eye covers/goggles	Cleaning & disinfection or germicidal irradiation
8.	Apron/gowns	Steam sterilization (autoclave)
9.	Gum boots	Cleaning & disinfection
10.	Linen	Steam sterilization (autoclave)
11.	Bowls (washing)	Dry-heat sterilization (Hot-air oven)
12.	Reagent and other containers	Cleaning
13.	Mop heads and cleaning cloths	Heat disinfection with detergent and drying at 80 °C
14.	Plastic bins	Cleaning & disinfection

S. No.	Equipment	Type of Cleaning
15.	Respirators (half-or full-face elastomeric respirators, and powered air-purifying respirators (PAPRs))	Cleaning & disinfection
B. Disposable items		
1.	Gloves (examination and sterile gloves)	Disposable; single use
2.	Masks	
3.	Head caps	
4.	Shoe cover	
5.	Apron/gowns	
6.	N-95 Respirators	
7.	Lancets	
8.	Sterile swabs	
9.	Containers/ blood collection tubes	
10.	Needles	
11.	Syringes	
C. Other Non-disposable Items/Equipment		
A. Minimal hand-contact		
1.	Floors	Cleaning (Wet mopping, and vacuum cleaning with filters)
2.	Walls, Blinds & Window Curtains	Cleaning
B. High Touch Surfaces		
1.	Door and cabinet handles	Cleaning and disinfection
2.	Appliances & Light switches	Cleaning (dry)
3.	Furniture (Bench-tops, Desks, Chairs/seats)	Cleaning and disinfection
4.	Telephones	Cleaning and disinfection
5.	Hand-washing sinks and handles	Cleaning and disinfection

**Note:** For cleaning and disinfection following materials can be used:

- Instruments – decontaminate before cleaning
- Equipment – use 70% isopropyl alcohol for disinfection
- Floor – damp mop with detergent and water followed by disinfection with 0.5% chlorine
- Mops – soak in 0.5% chlorine solution for 30 minutes followed by washing with detergent and water

**The details like frequency and process of the cleaning shall be given in a separate manual and the CSSD department to monitor the cleaning of equipment.**

## Annexure-VIII: IPHL Pre-Implementation Assessment Checklist

### A. General Information

Particulars	Information
Name of the facility	
District and State	
Type of facility	<div> <div>• District Hospital</div> <div>• Other facility, Specify _____</div> </div>
Below district level facilities (total number)	<div>Urban: CHC..... PHC..... U-HWC.....</div> <div>Rural : CHC..... PHC-..... PHC- HWCs..... Sub Centres- HWCs.....</div>
District level other facilities for linkage	<div>➤ No. of Medical Colleges- Govt.-.....&amp; Pvt-.....</div> <div>➤ Any veterinary institute.....</div> <div>➤ District Food and water safety lab.....</div> <div>➤ Any other public health/research laboratory of public health importance (e.g. NCDC/ IDSP, ICMR-RMRC, etc.) .....</div>
Bed strength of the facility	<div>Total Beds.....</div> <div>➤ General beds.....</div> <div>➤ Emergency beds.....</div> <div>➤ ICU/HDU beds.....</div> <div>➤ Oxygen beds.....</div> <div>➤ Other beds.....</div> <div>(In case the healthcare facility is attached/ affiliated to any other institution then mention the total strength)</div>
Timings	<div>Facility-</div> <div>Laboratory-</div> <div>➤ Routine sample taking-</div> <div>➤ Emergency lab timings-</div>
Facility in-charge (Name with designation and contact details (mobile no.))	
Laboratory In- charge of the facility with qualifications (Name with designation and contact details (mobile no.))	
Nodal Person for IPHL coordination in District (Name with designation and contact details (mobile no.))	

## B. Services

### A. Laboratory services currently available in the facility

1. Whether the lab services are available in-house or outsourced? If outsourced, then details.....  
If in hybrid mode then, details of outsourced.....and in-house .....
2. The type of diagnostic tests provided by the facility.....  
(against IPHS 2022)  
(Point of Care...../Manual...../Automated.....)
3. Whether the services are centralized or conducted under separate areas? If both please also note the details.....
4. Whether the lab is already integrated lab at one place with all the programs working together? Yes/No.....
5. Is the lab functioning either as hub or spoke or both, please indicate.....

### B. Performance: Number of laboratory tests conducted on an average daily

Please use the data from laboratory register/records.

Details of samples tested by the laboratory in the FY April 2021-March 2022				
Sample type based on collection site	No. of avg. samples tested by the facility / month	No. of avg. tests conducted by the facility / month	No. of avg. outsourced samples conducted/ month	
a) OPD samples				
b) IPD samples				
c) Spoke/peripheral facility samples				

S.No.	Details of other testing services	Response
1	Does the laboratory conduct testing of food & environmental samples? (Air/water/soil/food/other samples)	Yes/ No
2	If yes, mention the number of tests being performed (per month)	
3	Details of outbreak samples tested by the laboratory in the FY April 2021-March 2022 (*Outbreaks reported by IDSP)	

### C. Sampling

#### 1. Service area from where the samples are received for testing (please tick the appropriate box)

OPD		IPD	
Emergency Department		Peripheral facilities	
Others			

## 2. Mechanism of Sample packaging and transportation:

Particulars	OPD	IPD	Peripheral facilities
1. Preprinted barcode labels are in use for labelling			
2. Please indicate avg. time taken from sample collection to receiving in lab			
3. Time taken from sample receiving to reporting ( <i>indicate the time according to the mode &amp; type of tests</i> ) <ul style="list-style-type: none"> <li>In house <ul style="list-style-type: none"> <li>✦ CBC</li> <li>✦ LFT/RFT</li> <li>✦ Microscopy <ul style="list-style-type: none"> <li>▪ Gram stain,</li> <li>▪ Malaria and</li> <li>▪ AFB</li> </ul> </li> <li>✦ Bacterial Culture and sensitivity</li> <li>✦ FNAC</li> </ul> </li> <li>Outsourced/hub and spoke model <ul style="list-style-type: none"> <li>✦ CBC</li> <li>✦ LFT/RFT</li> <li>✦ Microscopy <ul style="list-style-type: none"> <li>▪ Gram stain,</li> <li>▪ Malaria and</li> <li>▪ AFB</li> </ul> </li> <li>✦ Bacterial Culture and sensitivity</li> <li>✦ FNAC</li> </ul> </li> <li>Hybrid (if both in-house/outsourced modes are co-existing) <ul style="list-style-type: none"> <li>✦ CBC</li> <li>✦ LFT/RFT</li> <li>✦ Microscopy <ul style="list-style-type: none"> <li>▪ Gram stain,</li> <li>▪ Malaria and</li> <li>▪ AFB</li> </ul> </li> <li>✦ Bacterial Culture and sensitivity</li> <li>✦ FNAC</li> </ul> </li> </ul>			
4. Please indicate the availability and use of the following during transport ( <i>choose the means applicable</i> ) Primary container: <ul style="list-style-type: none"> <li>✦ Vacutainer</li> <li>✦ Universal container</li> <li>✦ Glass test tube</li> <li>✦ Other</li> </ul> Secondary Containers <ul style="list-style-type: none"> <li>• Rigid container</li> <li>• Zip-lock bag</li> </ul> Tertiary Container <ul style="list-style-type: none"> <li>• Thermocol boxes with ice pack</li> <li>• Thermocol boxes without ice pack</li> <li>• Vaccine carrier with Ice</li> <li>• Vaccine carrier without ice pack</li> <li>✦ Any other</li> <li>• Person incharge in shipment is trained in transport of samples</li> </ul>			

## C. Infrastructure

Particulars	Yes/No	Details with Layout (if yes)
1. Are sample collection and testing areas located at one place? (please indicate the total area in sq.ft.)		
2. Are the sample collection and testing areas located at different places?		
a Existing Total area in sq. ft. for sample collection		
b Existing Total area in sq. ft. for testing area		
3. Availability of patient waiting areas with facility of washrooms.		
4. Total existing waiting area in sq. ft.		
5. Are there separate pre-test & post-test counselling area as mandated under HIV/AIDS Act		
6. Please indicate availability of space within the DH lab. along with total area earmarked for the following (in sq. ft.)		
a. No. of sample collection counters		
b. Provision for FNAC		
c. Microbiology		
d. Hematology		
e. Biochemistry		
f. Clinical Pathology		
g. Cytology		
h. Serology		
i. Molecular Biology		
j. Mycobacteriology		
7. Does the existing hospital design permit vertical or horizontal extension?		
8. Availability of the space so that central sample collection facility & integrated public health labs can be		
✦ located on the same floor or		
✦ on different floors of the OPD area in the same building?		
9. Does the facility have any other space or land available for construction of new laboratory as a different building within the hospital premises?		
10. Is there any plan to dismantle the existing facility or any parallel construction for new building is being undertaken?		
11. Does the facility have provision for ETP for Liquid waste generation?		
12. Does the state have any plan to establish Critical Care Block in this facility?		
13. If yes, whether the space identified for establishing critical care block or not?		

## D. Equipment, Human Resource and Reporting

	Clinical Lab at DH	TB Labs	HIV Labs	Malaria	Public Health Labs	RT-PCR Labs	Any other Lab
<b>Location</b>							
(within DH/outside DH)							
If lab is already integrated indicate the total area in sq. ft.							
If outside DH, then distance from DH							
Total Area for testing in sq. ft. (excluding administrative area)							

	Clinical Lab at DH	TB Labs	HIV Labs	Malaria	Public Health Labs	RT-PCR Labs	Any other Lab
Avg. number of tests being conducted/day <i>(based on last three months data)</i>							
<b>Equipment</b> <i>(available numbers)</i>							
Air Handling Unit							
Cell counter automatic (5 part) for haematology (Desirable)							
Cell counter semi-automatic (3 part) for haematology (Essential)							
Semi-automated Biochemistry analyzer (Essential)							
Automated Hormone Analyzer (CLIA Based)							
Biosafety Cabinet Class II A2 with thimble ducting							
CB-NAAT							
TRUNAAT							
PCR machine							
Binocular Microscope (LED)							
Fluorescent Microscope							
ELISA reader with washer							
Automated Coagulometer							
ISE based Electrolyte analyzer							
HPLC machine/ automated system for haemoglobinopathies							
HbA1C machine							
Automated ESR analyzer							
Wall mounted AC							
Window AC							
Computer with scanner, printer, UPS							
Inverter/ Generator							
Equipment covered under AMC/warranty?							

	Clinical Lab at DH	TB Labs	HIV Labs	Malaria	Public Health Labs	RT-PCR Labs	Any other Lab
<b>Human Resource</b> (available numbers) <i>Sanctioned &amp; functional</i>	If lab is integrated, indicate the total number in this column						
a) Pathologist							
b) Microbiologist							
c) Biochemist							
d) Laboratory Technician							
e) Data Entry Operator/ Data Analyst							
f) Cleaning Staff							
g) Guard							
h) Bio Medical Engineer							
i) Any other							
<b>Reporting Mechanism</b>							
Manual reporting							
Electronic reporting (please indicate the type- EHR, LIMS, Hospital Information System, any other)							
Any other mode							

## E. Physical Verification

After this information is analysed, a physical round with Hospital In-charge, Program Officers, Hospital Managers, representative from Development Partner, any Engineer/ Architect if available, will be conducted. The objective is to assess details of available infrastructure and for finding appropriate location and planning architectural design for local labs.

## F. Assessment Summary & Recommendations (by the assessors)

Based on the gap assessment as per the checklist and the field visit, please indicate the findings and recommendations in the following areas:

- Services to be augmented:.....  
.....  
.....  
.....

2. Infrastructure Requirement:.....
- .....
- .....
- .....
- (Total area required).....
3. Equipment Required (type and number):.....
- .....
- .....
- .....
4. Trainings Required-.....
- .....
- .....
- .....
5. Reporting Mechanism-.....
- .....
- .....
- .....
6. Any other-.....
- .....
- .....
- .....

# List of Contributors

S. No.	Ministry of Health and Family Welfare	
1.	Sh. Rajesh Bhushan	Secretary, MoHFW, Govt. of India
2.	Ms. Vandana Gurnani	Former AS&MD, MoHFW, Govt. of India
3.	Mr. Vikas Sheel	Additional Secretary, MoHFW, Govt. of India
4.	Mr. Vishal Chauhan	Joint Secretary (Policy), MoHFW, Govt. of India
5.	Dr. Neha Garg	Director, NHM, MoHFW, Govt. of India
6.	Dr. Rajani R Ved	Advisor, MoHFW (Co-Chair of the Expert group)
7.	Dr. Ajay Khera	Commissioner MCH, MoHFW
8.	Dr. Raghuram Rao	Joint Director (TB), MoHFW
9.	Dr. Manas Roy	DADG, NPCDCS, MoHFW
10.	Dr. Amita Chauhan	Senior Consultant, ADB
11.	Mr. Anil Kumar Gupta	Senior Consultant, ADB
Directorate General of Health Services		
1.	Dr. PK Sen	Additional DGHS
National Centre for Disease Control		
1.	Dr. Sujeet Kumar Singh	Director, NCDC (Chairperson of the Expert group)
2.	Dr. Sandhya Kabra	Additional Director, NCDC
3.	Dr. Himanshu Chauhan	Joint Director, IDSP, NCDC
4.	Dr. Meera Dhuria	Joint Director, Epidemiology Division, NCDC
5.	Dr. Naveen Gupta	Joint Director, Centre for Arboviral & zoonotic disease
6.	Dr. Simmi Tiwari	Joint Director and Head Division of Zoonotic Diseases Program and CMEVM, NCDC
7.	Dr. Mahesh Waghmare	Deputy Director, Viral Hepatitis Lab, NCDC
8.	Dr. Tushar N. Nale	Assistant Director, Zoonotic Disease Division, NCDC
9.	Dr. Ajit Shewale	Assistant director, Zoonotic Disease Division, NCDC

S. No.	Ministry of Health and Family Welfare	
10.	Dr. Monal Daptardar	Consultant, National Rabies Control Programme, NCDC
11.	Dr. Smita Singhal	Consultant, NCDC
National AIDS Control Organization		
1.	Dr. Shobini Rajan	Assistant Director General (Blood Transfusion Services), NACO
2.	Dr. Bhawna Rao	Deputy Director (Lab Services), NACO
3.	Dr. U B Das	Sr. CMO (SAG), In-Charge Lab Services Division, NACO
Food Safety & Standard Authority of India		
1.	Dr. Sanu Jacob	Director (Lab training and Surveillance), FSSAI
2.	Dr. Vijay Pal Singh	Deputy Director, FSSAI
Indian Council of Medical Research (ICMR)		
1.	Dr. Priya Abraham	Director, NIV, Pune
2.	Dr. Shailesh D Pawar	Scientist-E & Officer-In-Charge, ICMR-NIV, Pune
3.	Dr. Sidhartha Giri	Scientist E, ICMR, Bhubaneswar
Centre for Disease Control (CDC)		
1.	Dr. Meghna Desai	Country Director, CDC-India
2.	Dr. Mayank Dwivedi	Public Health Specialist & Laboratory Advisor, CDC
3.	Dr. Indranil Roy	Public Health Specialist & Laboratory Advisor, CDC
4.	Dr. Anshuman Mishra	GHSA Coordinator, APHL
5.	Mr. Shishir Dwivedi	Consultant, Civil Engineer
6.	Mr. Gaurav Ahuja	Consultant Architect, APHL
National Health System Resource Centre (NHSRC)		
1.	Dr. Atul Kotwal	Executive Director, NHSRC
2.	Dr. Himanshu Bhushan	Advisor, PHA, NHSRC (Member Secretary for the Expert Group)
3.	Dr. J N Srivastava	Advisor, QI, NHSRC
4.	Ms. Mona Gupta	Advisor, HRH, NHSRC
5.	Dr. M A Balasubramanya	Advisor, CP/CPHC, NHSRC
6.	Mr. Prasanth KS	Sr. Consultant, PHA, NHSRC
7.	Dr. Smita Shrivastava	Sr. Consultant, PHA, NHSRC
8.	Mr. Parminder Gautam	Former Sr. Consultant, QI, NHSRC
9.	Mr. Sandeep Sharma	Sr. Consultant, HCF, NHSRC
10.	Mr. Mohammad Ameer	Former Sr. Consultant, HCT, NHSRC
11.	Ms. Sweta Roy	Sr. Consultant, HRH, NHSRC
12.	Mr. Ajit Kumar Singh	Former Senior Consultant, PHA, NHSRC
13.	Ms. Vertika Agrawal	Sr. Consultant, HCT, NHSRC
14.	Dr. Aashima Bhatnagar	Sr. Consultant, PHA, NHSRC

S. No.	Ministry of Health and Family Welfare	
15.	Dr. Kalpana Pawalia	Consultant, PHA, NHSRC
16.	Dr. Poonam	Consultant, PHA, NHSRC
17.	Dr. Swamili Khurana	Consultant, HRH/HPIP, NHSRC
18.	Dr. Ashutosh Kothari	Consultant, PHA, NHSRC
19.	Dr. Aditi Joshi	Consultant, PHA, NHSRC
20.	Ms. Neelam Turkey	Consultant, PHA, NHSRC
21.	Ms. Diksha	Consultant, PHA, NHSRC
22.	Dr. Diksha Dhupar	Former Fellow, NHSRC
23.	Dr. Shilpa Singh	Former Fellow, NHSRC
24.	Dr. Musarrat Siddiqui	Junior Consultant, PHA, NHSRC NHSRC
25.	Ms. Ashu Ranga	Junior Consultant, PHA, NHSRC NHSRC
26.	Dr. Syeda Tahseen	Fellow, NHSRC
<b>Institutional Experts</b>		
1.	Dr. B S Garg	Director Professor & Secretary, Dept of Community Medicine, MGIMS, Wardha
2.	Dr. Shashank Purwar	Associate Dean (Academics) & Additional Professor of Microbiology, Co-investigator, AIIMS, Bhopal Regional Virology Laboratory
3.	Dr. Rama Chaudhry	Prof and Head, Department of Microbiology, AIIMS, New Delhi.
4.	Dr. Debasis Biswas	Professor and Head of Microbiology, AIIMS Bhopal
5.	Dr. Rajib Dasgupta	Professor & HoD, Centre of Social Medicine & Community Health, Jawaharlal Nehru University, New Delhi
6.	Dr. Pallab Ray	Professor, Department of Microbiology, PGIMER
7.	Dr. Arun Mahadeo Kokane	Professor and Head, Community & Family Medicine, AIIMS Bhopal
8.	Dr SP Kalantri	Medical Superintendent, Kasturba Hospital, MGIMS
9.	Dr. Deepti Joshi	Additional Professor, Pathology & Lab Medicine AIIMS Bhopal
10.	Dr. Mala Chhabra	Senior Consultant Microbiology, RML hospital and Ex. HOD Zoonosis department, NCDC
11.	Dr. (Col) Jyoti Kotwal	Prof & HoD, Dept of Hematology and Clinical Pathology, Sir Ganga Ram Hospital, New Delhi
<b>State Representatives</b>		
1.	Dr. Priyanka Shukla	Mission Director, NHM Chhattisgarh
2.	Dr. T.S. Selvavinayagam	Director Public Health, Tamil Nadu
3.	Dr. Sunija Sai Kumar	Director, NHM, Kerala
4.	Dr. Veena Sinha	Additional Director, NHM, Madhya Pradesh
5.	Dr. S. Raju	Deputy Director, State Public Health laboratory, Tamil Nadu
6.	Dr. Kalpana Balakrishnan	State representative Tamil Nadu
7.	Dr. Nitin Shinde	NHM, Madhya Pradesh

S. No.	Ministry of Health and Family Welfare	
8.	Mr. Urya Nag	State Program Manager, NHM Chhattisgarh
9.	Dr. Mohammad Jawed	Program Officer, NHM, Chhattisgarh
10.	Dr. Ruby Khan	NHM Chhattisgarh
11.	Representative from NHM, Maharashtra	
Ministry of Environment, Forest & Climate Change		
Central Pollution Control Board		
1.	Mr. V. K. Shukla	Additional Director, CPCB
2.	Dr. Dilip K Markandey	Scientist E, Add Director & Govt Analyst, CPCB
3.	Ms. Sanghita	Representative from, CPCB
4.	Mr. Parag Nigam	Scientist E, Wildlife Institute of India
ICAR		
1.	Dr. Debalina Mitra	Assistant Commissioner, Animal Husbandry
2.	Dr. Jyoti Misri	Pr. Scientist (Animal Husbandry)





Ministry of Health & Family Welfare  
Government of India